



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	23/06/2020 17:49 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10121	SADHANA SANDIP HEGADE	35	F	23.06.2020	Positive
C10122	NEHA SANDIP HEGADE	17	F	23.06.2020	Positive
C10123	NAYAN SANDIP HEGADE	14	F	23.06.2020	Positive
C10124	SEEMA P. MUNJAVALE	34	F	23.06.2020	Negative
C10125	GURUNATH V. BHOIR	54	M	23.06.2020	Negative
C10126	SIDHHESH ANIL NALAVADE	18	M	23.06.2020	Positive
C10127	RUSHIKESH R. JADHAV	20	M	23.06.2020	Negative
C10128	YOGESH MAHADU VISHE	30	M	23.06.2020	Negative
C10129	ATUL RAJU HAMBARE	28	M	23.06.2020	Negative
C10130	ADITI R. MALI	20	F	23.06.2020	Negative
C10131	PRASAD R. MALI	16	M	23.06.2020	Negative
C10132	BAITUL KOKAWALE	67	F	23.06.2020	Negative
C10133	DR. RAVIINDRA GANDHI	59	M	23.06.2020	Negative
C10134	DR. RAJASHRI R. GANDHI	57	F	23.06.2020	Positive
C10135	GANESH BALU DINGORE	42	M	23.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	23/06/2020 17:49 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10136	RUPESH L. MAHAJAN	44	M	23.06.2020	Positive
C10137	SURESH B. VEKHANDI	30	M	23.06.2020	Negative
C10138	PRAMOD C. TIWARI	41	M	23.06.2020	Negative
C10139	ARUN S. OKHORE	28	M	23.06.2020	Positive
C10140	ASHOK N. CHANNE	68	M	23.06.2020	Positive
C10141	ANJALI PRAMOD CHANNE	35	F	23.06.2020	Positive
C10142	PRAMOD ASHOK CHANNE	40	M	23.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Verified by
Dr. Shalmali Dharma Ph. D

Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)