

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 13:20 pm	
Date and time of reporting (dd/mm/yyyy)	01/09/2020 11:58 am	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24406	DHARMENDRA PRASAD	38	М	01.09.2020	Positive
C24407	RAMBACCHAN PRASAD	38	М	01.09.2020	Positive
C24408	AZIM SHAIKH	32	М	01.09.2020	Positive
C24409	SEKA ANJAR	22	М	01.09.2020	Positive
C24410	SAHIM SHAIKH	22	М	01.09.2020	Negative
C24412	DILDAR SETH	20	M 🔷	01.09.2020	Positive
C24411	BAHARUDDIN SHAIKH	33	М	01.09.2020	Positive
C24413	SUNIL KUMAR	34	M	01.09.2020	Positive
C24414	RAJESH PAL	44	М	01.09.2020	Positive
C24415	MEGHA V SHINDE	25	F	01.09.2020	Negative
C24416	RAHUL SHAIKH	19	M	01.09.2020	Positive
C24417	ROHIT SHAIKH	34	M	01.09.2020	Negative
C24418	AJAY PANDIT	33	M	01.09.2020	Positive
C24419	RAJIV KUMAR	28	М	01.09.2020	Negative
C24420	AKTARUL SHAIKH	21	M	01.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)