



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/08/2020 16:35 pm
Date and time of reporting (dd/mm/yyyy)	08/08/2020 18:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20533	HARI THAKARE	38	M	08.08.2020	Negative
C20534	RUDRA VEDANT GANGAWANE	2	M	08.08.2020	Negative
C20535	VEDANT RAMESH GANGAWANE	25	M	08.08.2020	Positive
C20536	MANDA RAMESH GANGAWANE	47	F	08.08.2020	Positive
C20527	KUNAL RAJESH WAGHE	7	M	08.08.2020	Negative
C20528	GOVIND PAWAR	55	M	08.08.2020	Positive
C20529	JAGRUTI BHOIR	33	F	08.08.2020	Positive
C20530	DIDI SHANTARAM WAGHE	12	F	08.08.2020	Negative
C20531	BALI SHANTARAM WAGHE	9	F	08.08.2020	Negative
C20532	SAYALI BHOIR	29	F	08.08.2020	Negative
C20537	MATHEW TERSHI	57	M	08.08.2020	Negative
C20538	VAIDHAVI RAMESH GANGAWANE	18	F	08.08.2020	Negative
C20539	KARTIK RAMESH GANGAWANE	16	M	08.08.2020	Negative
C20540	VIMAL SHANTARAM WAGHE	50	F	08.08.2020	Negative
C20541	BALU SHIROSHI	42	M	08.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/08/2020 16:35 pm
Date and time of reporting (dd/mm/yyyy)	08/08/2020 18:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)


Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20542	NANDA VISHE	45	F	08.08.2020	Negative
C20543	AKBAR IBRAHIM BEGH	30	M	08.08.2020	Negative
C20544	KALPESH KASHINATH GHUDE	22	M	08.08.2020	Positive
C20545	SUMAN SHELKE	70	F	08.08.2020	Positive
C20546	RAM BARAKU GHUDE	38	M	08.08.2020	Positive
C20547	SHASHIKANT BHAGWAN RANDIVE	38	M	08.08.2020	Positive
C20548	RAJESH JAYRAM GHUDE	35	M	08.08.2020	Positive
C20549	YASHWANT VITTHAL GHUDE	30	M	08.08.2020	Positive
C20550	TEJESWINI RAJESH LANGENWAR	20	F	08.08.2020	Negative
C20551	BABITA MISHRA	34	F	08.08.2020	Negative
C20552	ANAND VITTHAL CHANNE	24	M	08.08.2020	Positive
C20553	YOGESH BHASKAR BHAWRTHE	30	M	08.08.2020	Positive
C20554	RADHA RAJESH LANGENWAR	37	F	08.08.2020	Negative
C20555	SHANTABAI PANDURANG TEKADE	47	F	08.08.2020	Positive
C20556	DEENESH PANDURANG TEKADE	23	M	08.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/08/2020 16:35 pm
Date and time of reporting (dd/mm/yyyy)	08/08/2020 18:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20557	VINAYAK G. PAWAR	30	M	08.08.2020	Positive
C20558	PRASHANT PANDURANG TEKADE	29	M	08.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)