



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/08/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	31/08/2020 12:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24223	VIJAY BARIKRAO PATIL	55	M	31.08.2020	Positive
C24224	AKSHATA ANIL DALVI	34	F	31.08.2020	Negative
C24225	RAJASHRI GURUNATH DAMODAR	55	F	31.08.2020	Negative
C24226	BHARAT SEVAK CHAUDHARI	55	M	31.08.2020	Positive
C24227	SUDHAKAR DHONDU MAHAJAN	70	M	31.08.2020	Positive
C24228	VIKRANT SUDHAKAR MALI	37	M	31.08.2020	Positive
C24229	ROHIT ASHOK DAMODHAR	43	M	31.08.2020	Negative
C24230	VAHID HARUN SHAIKH	18	M	31.08.2020	Negative
C24231	GARGI PARESH FARDE	10	F	31.08.2020	Negative
C24232	LAXMIBAI BUDHA SHINGE	55	F	31.08.2020	Positive
C24233	DASHRATH GANPAT SONAWANE	49	M	31.08.2020	Positive
C24234	DARSHANA SHASHIKANT SHIROSE	20	F	31.08.2020	Negative
C24235	ASHA BHASKAR CHANDALE	45	F	31.08.2020	Positive
C24236	PRASAD VIJAY CHAUDHARI	39	M	31.08.2020	Negative
C24237	SAHIL PUNDLIK BHOIR	7	M	31.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/08/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	31/08/2020 12:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24238	RAJULA ATUL JURWA	55	F	31.08.2020	Positive
C24239	SWATI YOGESH PATIL	36	F	31.08.2020	Positive
C24240	MAHESHWARI YOGESH PATIL	17	F	31.08.2020	Positive
C24241	DATTATRAY JAITU SASE	56	M	31.08.2020	Positive
C24242	RUPALI ANANTA MHATRE	18	F	31.08.2020	Positive
C24243	CHANDRAKANT BALU BHOIR	45	M	31.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)