



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	23/07/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	24/07/2020 17:45 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17414	ANITA KADAM 1132	67	F	24.07.2020	Negative
C17415	SHUBHANGI KADAM 1114	40	F	24.07.2020	Negative
C17416	GAURI KADAM 1114	11	F	24.07.2020	Negative
C17417	ATHARVA KADAM 1114	13	M	24.07.2020	Negative
C17418	MAHENDRA INDULKAR 1431	32	M	24.07.2020	Inconclusive (Repeat Fresh Sample)
C17419	ANITA INDULKAR 1415	65	F	24.07.2020	Negative
C17420	REKHA RAMESH POTDAR 809	55	F	24.07.2020	Negative
C17421	TANUJA POTDAR 810	25	F	24.07.2020	Negative
C17422	DHANANJAY POTDAR 811	30	M	24.07.2020	Negative
C17423	JITESH SHANTARAM KAMBLE 829	33	M	24.07.2020	Negative
C17424	RESHMA JITESH KAMBALE 816	28	F	24.07.2020	<b>Positive</b>
C17425	SANTOSH SAKAT 826	27	M	24.07.2020	Negative
C17426	RITESH JITESH KAMBLE 816	12	M	24.07.2020	Negative
C17427	MAHADEVGERI GAURAVI 701	29	M	24.07.2020	Negative
C17428	SAGAR KAMBLE 1106	41	M	24.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)