

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 13:10 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15049	DINESH BHALE 428	27	М	15.07.2020	Negative
C15045	DISHA BHALE 416	23	F	15.07.2020	Negative
C15044	POONAMCHAND JAISWAL 515	32	М	15.07.2020	Negative
C15043	RITA JAISWAL 529	38	F	15.07.2020	Negative
C15042	RUSHIKESH JAISWAL 529	13	М	15.07.2020	Negative
C15051	RAJESHWARI SHARMA 305	70	F	15.07.2020	Positive
C15052	SACHIN VISHWAKARMA 321	21	М	15.07.2020	Positive
C15053	MANISHA TIWARI 306	28	F	15.07.2020	Negative
C15054	ANJALI VISHWAKARMA 320	18	F	15.07.2020	Positive
C15055	KRISHMA VISHWAKARMA 318	16	F	15.07.2020	Negative
C15041	SINDHU GAVARE 724	61	F	15.07.2020	Negative
C15040	JYOTI GAVARE 725	30	F	15.07.2020	Negative
C15039	RAVINDRA GAVARE 717	34		15.07.2020	Negative
C15056	VANDANA KAMBLE 406	32	F	15.07.2020	Positive
C15057	JANARDAN KAMBLE 632	70	М	15.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 13:10 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15035	SAMRUDHI NILESH SAWANT 1102	37	F	15.07.2020	Positive
C15036	SAGAR DHANAJI KORE 819	18	М	15.07.2020	Positive
C15048	PAYAL DHANAJI KORE 817	16	F	15.07.2020	Positive
C15050	MANSI SALUNKE 314	14	F	15.07.2020	Negative
C15038	AYUSH SALVI 718	9	M	15.07.2020	Positive
C15037	AKSHAY SALVI 718	30	M	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shawo Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)