



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/08/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	14/08/2020 14:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21477	SANDIP YASHWANT CHAUDHARY 14141/A - 1769	43	M	14.08.2020	Negative
C21475	VIKAS CHAURASIYA 14133/A - 1764	29	M	14.08.2020	Negative
C21474	VIJAYKUMAR YADAV 14131/A - 1763	29	M	14.08.2020	Negative
C21476	SANJAY YADAV 14129/A - 1762	29	M	14.08.2020	Negative
C21478	RAHUL RADHESHYAM GAUTAM 14130/A - 1761	20	M	14.08.2020	Negative
C21479	VINODKUMAR A. YADAV 14132/ A- 1760	26	M	14.08.2020	Negative
C21496	JOGINDERSINGH OMPRAKASH DALAL 14127/A - 1758	52	M	14.08.2020	Negative
C21480	JANHVI MILIND MANJREKAR 14125/A - 1751	40	F	14.08.2020	Positive
C21481	ATUL MATIM SHAIKH 14116/A - 1749	25	M	14.08.2020	Negative
C21482	BAHARUDDIN SHAIKH 14120/A - 1748	33	M	14.08.2020	Negative
C21484	AKTARUL SHAIKH 14114/A - 1746	26	M	14.08.2020	Negative
C21483	DILBAR ALMASUD SHAIKH 14119/A - 1745	26	M	14.08.2020	Negative
C21488	RAMESH DAJI KADAM 14122/A - 1744	57	M	14.08.2020	Negative
C21485	AALAM SHAIKH 1418/A - 1743	26	M	14.08.2020	Negative
C21487	BASRUDDIN SHAIKH 14115/A - 1742	19	M	14.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	13/08/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	14/08/2020 14:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21486	SAMEER KARIM SHAIKH 14117/A - 1741	26	M	14.08.2020	Negative
C21489	SAHIN SHAIKH 14109 /A - 1740	22	M	14.08.2020	Negative
C21490	SAJUDDIN SHAIKH 14110 /A - 1739	44	M	14.08.2020	Negative
C21493	AFSARALI SHAIKH 14112/ A- 1738	27	M	14.08.2020	Negative
C21491	BANI SHAIKH 14113/A - 1737	23	M	14.08.2020	Negative
C21492	DILDAR SHAIKH 14111/A - 1736	22	M	14.08.2020	Negative
C21494	SONU URF DANCER BIRJU MUDANWAR 41520/A - 1733	17	M	14.08.2020	Negative
C21495	SANDIP KALU GHUGE 14100/A - 1728	25	M	14.08.2020	Negative
C21497	AROKIARAJ S. CHETTIAR 41516/A - 1725	51	M	14.08.2020	Negative
C21498	MOHD. JAMIR HASIM SHAIKH 41563	22	M	14.08.2020	Negative
C21499	SURESH VASANT SAWANT 14102/A - 1727	52	M	14.08.2020	Negative
C21500	DHANASHREE BALIRAM AMBRE 14101/ A- 1726	24	F	14.08.2020	Negative
C21501	AKASH KUMAR RAMPRATAP HARIJAN 14108 /A - 1734	22	M	14.08.2020	Negative
C21502	SANJAY MURLIDHAR BOBADE 14123/A - 1750	54	M	14.08.2020	Positive
C21503	VINAYA VIJAY PAWAR 15188/A - 1754	56	F	14.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/08/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	14/08/2020 14:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21504	VIJAY GOPAL PAWAR 15189/A - 1757	59	M	14.08.2020	Negative
C21505	SURESH YASHWANT GAVLI 41544/A - 1768	48	M	14.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)