



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 23/07/2020 17:00 pm |
| Date and time of reporting (dd/mm/yyyy) | 24/07/2020 17:51 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | Shahapur |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|---------------------------|-----------|--------|------------------------|------------|
| C17434 | PRAMOD BHAGWAN WAGHERE | 30 | M | 24.07.2020 | Positive |
| C17435 | SUMIT SANJAY MISHRA | 08 | M | 24.07.2020 | Positive |
| C17436 | KIRAN SANJAY MISHRA | 11 | M | 24.07.2020 | Negative |
| C17437 | KARAN SANJAY MISHRA | 13 | M | 24.07.2020 | Negative |
| C17438 | KOMAL SANJAY MISHRA | 16 | F | 24.07.2020 | Negative |
| C17439 | ROHINI AJAY KSHIRSAGAR | 40 | F | 24.07.2020 | Negative |
| C17440 | SUNIL DUNDYA SHELAR | 45 | M | 24.07.2020 | Positive |
| C17441 | MANOJ MADHUKAR JAMDAR | 43 | M | 24.07.2020 | Positive |
| C17442 | ANANTA SHIVRAM JADHAV | 60 | M | 24.07.2020 | Negative |
| C17443 | DR ARUN BHAGWANDAS ZAWAL | 55 | M | 24.07.2020 | Negative |
| C17444 | GOPAL DATTU BHAVAR | 37 | M | 24.07.2020 | Positive |
| C17445 | RAMESHWAR LAXMAN GHULE | 38 | M | 24.07.2020 | Negative |
| C17446 | PRANALI PRAMOD ADHIKARI | 30 | F | 24.07.2020 | Positive |
| C17447 | SHLOK PRAMOD ADHIKARI | 04 | M | 24.07.2020 | Negative |
| C17448 | SHRAVAN PRASHANT ADHIKARI | 05 | M | 24.07.2020 | Positive |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 23/07/2020 17:00 pm |
| Date and time of reporting (dd/mm/yyyy) | 24/07/2020 17:51 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | Shahapur |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|----------------------------------|-----------|--------|------------------------|-----------------|
| C17449 | SUREKHA SURESH ADHIKARI | 60 | F | 24.07.2020 | Negative |
| C17450 | AVINASH BALU SHELAKE | 38 | M | 24.07.2020 | Positive |
| C17451 | RAHUL KRUSHNA SHELAKE | 20 | M | 24.07.2020 | Negative |
| C17452 | ASHWINI AVINASH SHELAKE | 36 | F | 24.07.2020 | Negative |
| C17453 | ISHANT AVINASH SHELAKE | 10 | M | 24.07.2020 | Negative |
| C17454 | SUMAN KRUSHNA SHELAKE | 48 | F | 24.07.2020 | Positive |
| C17455 | KRUSHNA KASHINATH SHELAKE | 55 | M | 24.07.2020 | Positive |
| C17456 | SHARANTA AVINASH SHELAKE | 06 | F | 24.07.2020 | Negative |
| C17457 | ROHAN KRUSHNA SHELAKE | 24 | M | 24.07.2020 | Negative |
| C17458 | CHINATAMAN RAMCHANDRA BHANDE | 22 | M | 24.07.2020 | Negative |
| C17459 | PRAKASH HAIBAT KHOTARE | 23 | M | 24.07.2020 | Positive |
| C17460 | ASHIMKUMAR ROBINCHANDRA ADHIKARI | 63 | M | 24.07.2020 | Negative |
| C17461 | MANUDIP TAPAN ADHIKARI | 16 | M | 24.07.2020 | Negative |
| C17462 | TANUSHRI TAPAN ADHIKARI | 19 | F | 24.07.2020 | Negative |
| C17463 | MINU TAPAN ADHIKARI | 42 | F | 24.07.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 23/07/2020 17:00 pm |
| Date and time of reporting (dd/mm/yyyy) | 24/07/2020 17:51 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | Shahapur |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|---------------------------|-----------|--------|------------------------|------------|
| C17464 | MUKTA PANDURANG GODE | 40 | F | 24.07.2020 | Negative |
| C17465 | GORAKSHA BHAURAO KHADE | 42 | M | 24.07.2020 | Positive |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)