



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/09/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	22/09/2020 14:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31540	SHANTARAM JAYRAM BHOIR	40	M	22.09.2020	Negative
C31541	GANPAT SAKHARAM GHODVINDE	24	M	22.09.2020	Negative
C31542	VILAS KALURAM GHODVINDE	22	M	22.09.2020	Negative
C31543	JAYWANT GOVIND BHOIR	35	M	22.09.2020	Negative
C31544	DR KUNDAN ANANT WARGHADE	28	M	22.09.2020	Negative
C31545	SAMIKSHA JANARDAN WARGHADE	26	F	22.09.2020	Negative
C31546	PRAKASH DATTARAM KULKARNI	47	M	22.09.2020	Negative
C31547	DATTATRAY SHANKAR GHODVINDE	52	M	22.09.2020	Negative
C31548	SHILPA PRAMOD NIRAVNE	34	F	22.09.2020	Negative
C31549	PUNDALIK VALKU VISHE	44	M	22.09.2020	Negative
C31550	SWAPNIL BHIMA DOLAS	30	M	22.09.2020	Negative
C31551	MANASI PRAKASH SONARE	19	F	22.09.2020	Negative
C31552	RAVINDRA APPA TARMAL	55	M	22.09.2020	Negative
C31553	GANESH VINAYAK GHARAT	38	M	22.09.2020	Negative
C31554	SATISH GOVIND ADHIKARI	55	M	22.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/09/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	22/09/2020 14:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31555	SAIRAJ SATISH ADHIKARI	26	M	22.09.2020	Negative
C31556	VISHWA VIVEK KABADI	12	M	22.09.2020	Negative
C31557	YASH SHASHANK KABADI	12	M	22.09.2020	Negative
C31558	NIKITA BALKRUSHNA BHERE	19	F	22.09.2020	Negative
C31559	DEVIDAS BALKRUSHNA BHERE	17	M	22.09.2020	Negative
C31560	SHASHIKANT DATTATRAY BHERE	38	M	22.09.2020	Negative
C31561	SHARAD PADURANG NIPURTE	39	M	22.09.2020	Negative
C31562	RAJESH NAMDEV BHOIR	35	M	22.09.2020	Negative
C31563	CHANDRABHAGA NATHA SHELKE	55	F	22.09.2020	Inconclusive (Repeat Fresh Sample)
C31564	NATHA BUDHAJI SHELKE	61	M	22.09.2020	Negative
C31565	SURESH SAKHARAM PANDIT	58	M	22.09.2020	Positive
C31566	PARAKASH VISHNU JADHAV	36	M	22.09.2020	Negative
C31567	BHALCHANDRA MADHUKAR PADWAL	35	M	22.09.2020	Negative
C31568	VATSALA NAMDEV DHAMKE	56	F	22.09.2020	Negative
C31569	SUNIL NAMDEV DHAMKE	31	M	22.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)