



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/06/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	22/06/2020 18:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9929	SIDDHI YUVRAJ SHELKE 9340	13	F	22.06.2020	Positive
C9930	EVA JOSEPH 9351	62	F	22.06.2020	Negative
C9931	KEDAR HARISCHANDRA BANSODE 9355	34	M	22.06.2020	Negative
C9932	RAJKUMAR KHADERU VERMA 9359	23	M	22.06.2020	Negative
C9933	PUSHPA JAMES 9358	43	F	22.06.2020	Negative
C9934	SUJATA VILAS DHAGE 9360	25	F	22.06.2020	Negative
C9935	BHARATI PRAMOD PATIL 9352	62	M	22.06.2020	Positive
C9978	DR. TEJAS TRUBHUWAN 9422	32	M	22.06.2020	Negative
C9979	ATUL B. PALAV 9377	24	M	22.06.2020	Negative
C9980	BHASKARV. PALAV 9376		M	22.06.2020	Negative
C9981	ABHAY B. PALAV 9254	20	M	22.06.2020	Positive
C9982	ANJALI BHASKAR PALAV 9375	48	F	22.06.2020	Positive
C9983	PRIYA CHAVHAN 9298	22	F	22.06.2020	Positive
C9984	GIRDHAR BONDE 9309	65	M	22.06.2020	Negative
C9985	VINOD PATIL 9274	40	M	22.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/06/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	22/06/2020 18:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9986	SATYAWAN RAJGUDE 9300	60	M	22.06.2020	Negative
C9987	PRAKASH JADHAV 9294	34	M	22.06.2020	Positive
C9988	MEENA VEER 9260	65	F	22.06.2020	Positive
C9989	UDDHAV VEER 9259	75	M	22.06.2020	Negative
C9991	AADESH PAWAR 9299	31	M	22.06.2020	Negative
C9992	VAIJANTI SAKAT 9249	60	F	22.06.2020	Positive
C9993	HANUMAN PATIL 9242	38	M	22.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)