



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 15:34 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30826	NEHA DHAKGRAS W-5090	38	F	18.09.2020	Negative
C30825	SUVIDHA HATE W-5108	34	F	18.09.2020	Negative
C30824	SHAILESH PRAJAPATI W-5099	44	M	18.09.2020	Negative
C30823	CHAITALI MATHKAR W-5115	28	F	18.09.2020	Negative
C30822	RAMESH K JADHAV W-5095	54	M	18.09.2020	Negative
C30821	NEELAM PARESH PATIL W-5135	43	F	18.09.2020	Negative
C30820	SUDHIR MULCHANDANI W-5116	32	M	18.09.2020	Negative
C30819	VIJAYA SHILKANDE W-5129	40	F	18.09.2020	Negative
C30818	SAGAR SHILKANDE W-5130	21	M	18.09.2020	Negative
C30817	RAJAN BARASHARF W-5127	28	M	18.09.2020	Negative
C30816	NIKITA R. GUPTA W-5142	30	F	18.09.2020	Negative
C30815	RAJEEV GUPTA W-5141	59	M	18.09.2020	Negative
C30814	DHANANJAY MATHKAR W-5114	33	M	18.09.2020	Negative
C30813	JAYSHREE SARVAIYA W-5068	46	F	18.09.2020	Negative
C30812	PRAJAKTA DEVGIRKAR W-5087	40	F	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 15:34 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30811	VISHAL NAGESH MATHKAR W-5061	26	M	18.09.2020	Negative
C30810	APURVA BORKAR W-5051	18	M	18.09.2020	Negative
C30809	SOHAM RATRI W-5069	17	M	18.09.2020	Negative
C30808	SUNIL RAMAKANT MIRKAR W-5070	53	M	18.09.2020	Negative
C30807	VAIJANTA PATIL W-5104	72	F	18.09.2020	Negative
C30806	ABHIJEET UTEKAR W-5041	30	M	18.09.2020	Negative
C30805	NITIN NINGAWLVE W-5089	42	M	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)