



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|-------------------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 21/07/2020 15:50 pm |
| Date and time of reporting (dd/mm/yyyy) | 23/07/2020 11:39 am |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CIVIL HOSPITAL THANE (MURBAD) |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|------------------------------|-----------|--------|------------------------|-----------------|
| C17006 | PRAVIN GANPAT GHOLAP | 35 | M | 23.07.2020 | Negative |
| C17007 | PRANJAL PRAVIN GHOLAP | 28 | F | 23.07.2020 | Negative |
| C17008 | BHAVESH GANPAT GHOLAP | 30 | M | 23.07.2020 | Negative |
| C17009 | POONAM BHAVESH GHOLAP | 23 | F | 23.07.2020 | Negative |
| C17010 | SHRADHA GANPAT GHOLAP | 35 | F | 23.07.2020 | Negative |
| C17011 | NINAD PRAVIN GHOLAP | 4 | M | 23.07.2020 | Negative |
| C17012 | HARESH PRABHAKAR SHIRSAGAR | 28 | M | 23.07.2020 | Negative |
| C17013 | MAHESH CHINTAMAN GHOLAP | 19 | M | 23.07.2020 | Negative |
| C17014 | RAMESH SHANTARAM GHOLAP | 20 | M | 23.07.2020 | Negative |
| C17015 | PRANALI SOMNATH GHOLAP | 16 | F | 23.07.2020 | Negative |
| C17016 | SMITA CHANDRAKANT KHANDAGALE | 33 | F | 23.07.2020 | Negative |
| C17017 | KANTABAI ANANTA PANDIT | 42 | F | 23.07.2020 | Negative |
| C17018 | SUVARNA D GHARAT | 55 | F | 23.07.2020 | Positive |
| C17019 | PRAMOD HEMA KHAKAR | 24 | M | 23.07.2020 | Negative |
| C17020 | KHANDU DHARMA MENGAL | 42 | M | 23.07.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|-------------------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 21/07/2020 15:50 pm |
| Date and time of reporting (dd/mm/yyyy) | 23/07/2020 11:39 am |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CIVIL HOSPITAL THANE (MURBAD) |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|---------------------------|-----------|--------|------------------------|------------|
| C17021 | NAWSU NANA BHALA | 40 | M | 23.07.2020 | Negative |
| C17022 | SHIV BAHADUR KANWAR | 50 | M | 23.07.2020 | Negative |
| C17023 | VANDANA DATTATRAY SHIROSE | 56 | F | 23.07.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)