



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 18:15 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 17:41 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17196	YOGESH AATMARAM PATIL	31	M	23.07.2020	Negative
C17197	VANITA PADMAKAR SANOVNE	35	F	23.07.2020	Positive
C17198	PADMAKAR MADHUKAR SONAVNE	42	M	23.07.2020	Positive
C17199	DIVYA DIPAK WAGHMARE	6	F	23.07.2020	Negative
C17200	SURESH BACHHU KHADKE	34	M	23.07.2020	Negative
C17201	PRAMOD BHAI PATOLEKAR	47	M	23.07.2020	Negative
C17202	PRAVIN BHASKAR BHERE	26	M	23.07.2020	Positive
C17203	HIRABAI BHASKAR BHERE	50	F	23.07.2020	Positive
C17204	PRADIP BHASKAR BHERE	29	M	23.07.2020	Positive
C17205	PUSHPA PRALHAD KALASKAR	50	F	23.07.2020	Positive
C17206	GAJANAN BALKRUSHN HAJARE	80	M	23.07.2020	Positive
C17207	RAGHUNATH SHANKAR BHAGDE	64	M	23.07.2020	Positive
C17208	ARNAV ANANTA BHADANGE	7	M	23.07.2020	Positive
C17209	PRATIKSHA SANDIP BADKAS	42	F	23.07.2020	Positive
C17210	ARCHIT ANANTA BHADANGE	6	M	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 18:15 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 17:41 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17211	HARSHALI ANANTA BHADANGE	33	F	23.07.2020	Positive
C17212	AJAY SIDHESHWAR SINGH	35	M	23.07.2020	Negative
C17213	PRAVIN VISHNU KEDARE	35	M	23.07.2020	Negative
C17214	LILABAI HARIBHAU JAGDALE	48	F	23.07.2020	Negative
C17215	GANESH HARIBHAU JAGDALE	34	M	23.07.2020	Negative
C17216	VAISHALI GANESH JAGDALE	30	F	23.07.2020	Positive
C17217	YOGESH HARIBHAU JAGDALE	32	M	23.07.2020	Negative
C17218	AKSHATA GANESH JAGDALE	4	F	23.07.2020	Negative
C17219	KARTIK SATISH NIKATE	4	M	23.07.2020	Negative
C17220	PRAJAKTA SATISH NIKATE	1	F	23.07.2020	Negative
C17221	PRATIKSHA SHASHIKANT GHAYWAT	48	F	23.07.2020	Positive
C17222	SHASHIKANT SHIVRAM GHAYWAT	51	M	23.07.2020	Negative
C17223	ANIL NARAYAN NAGRE	53	M	23.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)