



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:43 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8286	BHAGYAWATI GUPTA C-2211	47	F	14.06.2020	Negative
C8287	REKHA GUPTA C-2212	34	F	14.06.2020	Negative
C8426	JANA MORE B - 507	38	F	14.06.2020	Negative
C8427	MANGAL KRISHNA KADAM B - 530	52	F	14.06.2020	Positive
C8428	KHUSHBOO PATEKAR B - 421	15	F	14.06.2020	Negative
C8429	AASHA PATEKAR B - 417	72	F	14.06.2020	Negative
C8430	SHITAL MORE B - 503	31	F	14.06.2020	Negative
C8431	VISHAL PATEKAR B - 420	45	F	14.06.2020	Negative
C8438	GAJANAN ADHIKARI C- 1816	68	M	14.06.2020	Negative
C8439	VISHAL CHAUHAN C - 426	30	M	14.06.2020	Negative
C8440	PRAVIN RUPEKAR C - 326	32	M	14.06.2020	Negative
C8441	PAWAN WANGULE C - 327	30	M	14.06.2020	Negative
C8442	NELSON AMANNA C - 1814	34	M	14.06.2020	Negative
C8443	JAYWANT MANJREKAR C- 429	55	M	14.06.2020	Positive
C8444	APARNA KADAM C - 431	36	F	14.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:43 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8445	SUNIL WAGH C - 1521	36	M	14.06.2020	Inconclusive (Repeat Fresh Sample)
C8446	SUCHIT PATHAK C - 1027	34	M	14.06.2020	Positive
C8447	SEEMA KAHAR C- 1811	32	F	14.06.2020	Negative
C8448	RATNADEVI SHARAM C - 1813	70	F	14.06.2020	Negative
C8449	AJAY MORE C - 1102	27	M	14.06.2020	Negative
C8450	ASHA MORE C - 1103	47	F	14.06.2020	Negative
C8451	SANDHYA PATHAK C- 1027	27	F	14.06.2020	Positive
C8452	SANDHYA AMANNA C - 1833	36	F	14.06.2020	Negative
C8453	NASIN SHAIKH C- 1812	34	F	14.06.2020	Negative
C8454	HARTIBA AMANNA C - 1814	60	F	14.06.2020	Negative
C8455	ANIL KALE C - 2031	52	M	14.06.2020	Negative
C8456	ROHAN WAGH C - 1521	4	M	14.06.2020	Positive
C8457	JIVIKA PATHAK C - 1027	4	F	14.06.2020	Negative
C8458	HEENA JAGRALA C - 720	38	F	14.06.2020	Negative
C8459	GAURAV PATHAK C - 1016	23	M	14.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:43 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8460	SANKHATA PATHAK C - 1016	65	M	14.06.2020	Negative
C8461	SHOBHA NALAVADE C-610	46	F	14.06.2020	Positive
C8462	GANESH NALAVADE C-607	53	M	14.06.2020	Negative
C8463	PRACHI SHIRKE C-727	44	F	14.06.2020	Negative
C8464	RAJASHREE THAKUR C-715	69	F	14.06.2020	Negative
C8465	VIJAYA VINAYAK MORE C-633	68	F	14.06.2020	Inconclusive (Repeat Fresh Sample)
C8466	HAMIDA ANSARI C-906	40	F	14.06.2020	Negative
C8467	SANJAY SHANKARRAO WANI C-508	50	M	14.06.2020	Negative
C8468	SHAMAL MORE C-634	41	F	14.06.2020	Positive
C8469	SHARDA JAGRALA C-721	40	F	14.06.2020	Positive
C8470	SURESH JAGRALA C-719	40	M	14.06.2020	Negative
C8471	URMILA PANDE C - 401	65	F	14.06.2020	Negative
C8472	SUSHMA PANDE C - 403	40	F	14.06.2020	Negative
C8473	SUNITA KADAM C - 408	48	F	14.06.2020	Negative
C8474	RAJENDRA KADAM C - 432	54	M	14.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:43 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8475	DAKSHATA MANJREKAR C - 428	50	F	14.06.2020	Negative
C8476	VINOD JADHAV C - 405	43	M	14.06.2020	Negative
C8477	PRIYANKA CHAVHAN C - 417	25	F	14.06.2020	Negative
C8478	MAYURI BHANGUDE C - 421	43	F	14.06.2020	Negative
C8479	LATA MOHITE C - 416	45	F	14.06.2020	Negative
C8480	POONAM TATHE C - 422	36	F	14.06.2020	Negative
C8481	SHRADHHA TATHE C - 422	60	F	14.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)