



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	13/09/2020 13:48 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28034	MOHAN MUNDAR B - 2432	39	M	13.09.2020	Negative
C28033	PRANAV GUDIYA B - 2430	25	M	13.09.2020	Positive
C28032	HEERALAL BHARTI B - 2430	32	M	13.09.2020	Negative
C28031	RANJEET DANDGE B - 2429	30	M	13.09.2020	Inconclusive (Repeat Fresh Sample)
C28030	MIRJA GUDIYA B - 2428	20	M	13.09.2020	Positive
C28064	MAHINDRA GUPTA B - 2507	34	M	13.09.2020	Negative
C28063	UTTAM MAGAT B - 2506	49	M	13.09.2020	Negative
C28062	SHAILESH GUPTA B - 2505	26	M	13.09.2020	Negative
C28061	RIKIN PATEL B - 2503	26	M	13.09.2020	Positive
C28060	RAMESH PATEL B - 2501	52	M	13.09.2020	Negative
C28609	ARMAN AHMED B-2750	21	M	13.09.2020	Negative
C28608	KAMLESH SINGH B-2752	39	M	13.09.2020	Positive
C28607	PRITI PRAJAPATI B-2867	44	F	13.09.2020	Negative
C28606	SURAJ THAKUR B-2833	24	M	13.09.2020	Negative
C28605	MALMA YENDAPPA B-2802	35	F	13.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	13/09/2020 13:48 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28614	VIJAYKUMAR GUPTA B - 2812	48	M	13.09.2020	Negative
C28613	YASWANT CHAUHAN B - 2749	24	M	13.09.2020	Positive
C28612	NARSHING BABU DEVJI B - 2745	49	M	13.09.2020	Negative
C28611	RAMESH BASPOD B - 2767	25	M	13.09.2020	Negative
C28610	BEYASHUDIN SHEIKH B - 2751	25	M	13.09.2020	Negative
C28625	VIJAY PAL B-2775	26	M	13.09.2020	Negative
C28624	VIDHICHAND CHOUHAN B-2741	21	M	13.09.2020	Positive
C28623	AJAYKUMAR SAGH B-2861	40	M	13.09.2020	Negative
C28622	DEVRAJ BEHRA B-2747	36	M	13.09.2020	Positive
C28621	RAHUL BADA B-2792	22	M	13.09.2020	Negative
C28620	SANTOSH BEHRA B-2748	22	M	13.09.2020	Negative
C28619	AMIT KUMAR B-2744	21	M	13.09.2020	Negative
C28618	RAJESH SALUNKHE B-2807	21	M	13.09.2020	Negative
C28617	JANKI PRASAD PASWAN B-2772	33	M	13.09.2020	Positive
C28616	SHASHIKANT YADAV B-2795	36	M	13.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	13/09/2020 13:48 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28615	KISAN GOND B-2740	69	M	13.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)