



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	09/07/2020 19:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13900	DR NILESH MORE	48	M	09.07.2020	Negative
C13909	SUBHADRA PANDHARI TARE 11514	50	F	09.07.2020	Positive
C13901	AVINASH BABAN TARE 11515	42	M	09.07.2020	Negative
C13902	RUHSAANA SHAIKH 11488	34	F	09.07.2020	Negative
C13910	SURESH GHUGE 11479	48	M	09.07.2020	Negative
C13911	CHETNA DILIP THORAT 11482	25	F	09.07.2020	Positive
C13903	PRAMOD CHANDRAKANT PAI 11510	60	M	09.07.2020	Positive
C13912	CHAYA DEVNAND SARAVADE 11504	42	F	09.07.2020	Negative
C13904	PRAVIN BHIMA DARADE 11478	26	M	09.07.2020	Negative
C13913	SUNIL DUBE 11483	48	M	09.07.2020	Positive
C13905	KISHOR CHANDRAKANT PAI 11507	62	M	09.07.2020	Positive
C13914	YAMUNABAI EKNATH SONAWANE 14497	65	F	09.07.2020	Positive
C13906	RADHIKA KISHOR PAI 11508	57	F	09.07.2020	Negative
C13915	PANDURANG GOPAL RANDIVE 11493	29	M	09.07.2020	Negative
C13907	HARSHA UMESH BUNDE 11485	28	F	09.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	09/07/2020 19:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13916	CHANDRAKANT HARISHCHANDRA PAI 11509	85	M	09.07.2020	Positive
C13917	UMESH LAXMAN BUNDE 11484	31	M	09.07.2020	Negative
C13918	UJWALA YADAV 14463	40	F	09.07.2020	Negative
C13922	JAIDAS MANOHAR SHINDE 11492	33	M	09.07.2020	Negative
C13919	DEVNAND BABURAV SARAVADE 11503	47	M	09.07.2020	Negative
C13923	SANJANA KUWAR 11513	39	F	09.07.2020	Positive
C13920	PRAVIN GOSAVI 11511	46	M	09.07.2020	Positive
C13924	SUHAS SAKHARAM BHUVAD 11512	38	M	09.07.2020	Positive
C13921	VIKAS SHIVAJI KAMBLE 11518	60	M	09.07.2020	Positive
C13985	DEEPAK BHIMRAO SARGAR TMC FIRE 7	44	M	09.07.2020	Negative
C13986	SAGAR PRAKASH BIRANJE 11574	36	M	09.07.2020	Positive
C13987	AMEYA VIJAY PATIL 10650	28	M	09.07.2020	Positive
C13988	KAILASH NANDKISHOR PATIL 11571	40	M	09.07.2020	Positive
C13989	DHANANJAY LIMBAJI GHODAKE 11593	36	M	09.07.2020	Negative
C13990	VISHNU KISAN RATHOD 11592	30	M	09.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	09/07/2020 19:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13991	SANDEEP BHAGWAN KUMAVAT TMC FIRE 8	33	M	09.07.2020	Positive
C13908	ABHIJEET SALUNKHE 11480	24	M	09.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)