



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/06/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 11:47 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11294	VIDYANAND SITARAM SHEDGE C-1524	32	M	30.06.2020	Negative
C11295	BHARATI DHATHYA C-1907	34	F	30.06.2020	Negative
C11296	SUNNY DHATHYA C-1908	34	M	30.06.2020	Negative
C11297	MEGHANA MADGONKAR C-1927	34	F	30.06.2020	Negative
C11298	MANGI PATEL C-1918	38	F	30.06.2020	Negative
C11299	DIPAK BHOJANE C-1615	39	M	30.06.2020	Negative
C11300	DIVYA BHOJANE C-1615	31	F	30.06.2020	Negative
C11301	PRAKASH JAMBU KAVALE C-1122	34	M	30.06.2020	Negative
C11302	MERI VILAS KAVALE C-1124	34	F	30.06.2020	Negative
C11303	KAILASH JAMBU KAVALE C-1123	31	F	30.06.2020	Negative
C11304	RAJEEV PANSARE C-1718	59	M	30.06.2020	Positive
C11305	DILIP KAMBLE C-2009	32	M	30.06.2020	Positive
C11306	AYESHA SHAIKH C-2034	33	F	30.06.2020	Positive
C11307	ABDULLA SHAIKH C-2013	33	M	30.06.2020	Negative
C11308	DNYANVANTI SHAHU 11308	60	F	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/06/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 11:47 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11309	TULSIRAM SALVE C-1216	35	M	30.06.2020	Negative
C11310	SAMTA GUPTA C-1205	39	F	30.06.2020	Negative
C11311	RANJANA SHELKE C-1403	38	F	30.06.2020	Negative
C11312	SANDIP DONGRE C-1231	31	M	30.06.2020	Negative
C11313	SATISH LAD C-1227	33	M	30.06.2020	Positive
C11314	SHRIKANT RAMAVE C-1406	32	M	30.06.2020	Negative
C11315	DINESH KRISHNA ELAMKAR C-511	50	M	30.06.2020	Negative
C11316	DEEPALI DINESH ELAMKAR C-511	47	F	30.06.2020	Negative
C11317	HARSHADA MANOJ AMODKAR C-320	25	F	30.06.2020	Positive
C11318	KARISHMA YEWALE C-	27	F	30.06.2020	Positive
C11319	DINESH ASHOK MALIK C-1025	23	M	30.06.2020	Positive
C11320	HARUBAI SHINDE C-1432	45	F	30.06.2020	Negative
C11321	LAXMIBAI SHINDE C-1432	100	F	30.06.2020	Negative
C11322	ANITA BHOITE C-1417	32	F	30.06.2020	Negative
C11323	UTTAM SHINDE C-1416	41	M	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/06/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 11:47 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11324	SARIKA SHINDE C-1430	40	F	30.06.2020	Positive
C11325	SHOBHA NAGTE C-1421	55	F	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)