



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 18:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24822	SURENDRA CHAVAN KK - 226	40	M	02.09.2020	Negative
C24784	ASHOK KUMAR GUPTA KK - 228	38	M	02.09.2020	Negative
C24823	RAJU GARMA KK - 232	42	M	02.09.2020	Negative
C24824	ANIL YADAV KK - 233	36	M	02.09.2020	Negative
C24825	ABHISHEK NAMWAD KK - 248	20	M	02.09.2020	Negative
C24783	IRSHAD ANSARI KK - 271	42	M	02.09.2020	Negative
C24826	ASLAM KHAN KK - 276	37	M	02.09.2020	Negative
C24788	INAYAT KRUTTAH KHAN KK - 260	35	M	02.09.2020	Negative
C24827	ARUN PANDEY KK - 258	38	M	02.09.2020	Negative
C24794	SULTAN KHAN KK - 261	32	M	02.09.2020	Negative
C24782	SURESH DIKSHIT KK - 277	68	M	02.09.2020	Negative
C24787	HAKIKULLAH KHAN KK - 259	27	M	02.09.2020	Negative
C24786	BUNTY SINGH KK - 269	30	M	02.09.2020	Negative
C24785	AKRAM MEMAN KK - 282	27	M	02.09.2020	Negative
C24816	BHARAT KUMAR KUMAVAT KK - 270	35	M	02.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 18:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24793	IMTIHAS CHAUDHARI KK - 241	29	M	02.09.2020	Negative
C24806	MANOJ JADHAV KK - 273	45	M	02.09.2020	Negative
C24798	PRAVIN KUMAVAT KK - 283	26	M	02.09.2020	Negative
C24828	LALIT MEHTA KK - 280	46	M	02.09.2020	Negative
C24829	RAVINDRA YADAV KK - 372	25	M	02.09.2020	<b>Positive</b>
C24830	SHAIENDRA SINGH KK - 278	44	M	02.09.2020	Negative
C24797	HARSHAD RAKESH GUPTA KX - 867	12	M	02.09.2020	Negative
C24809	VIKAS GUPTA KX - 868	21	M	02.09.2020	Negative
C24792	MAHADEV WALUNJ KX - 870	57	M	02.09.2020	Negative
C24796	MARUTI SURYAVANSHI KX - 871	49	M	02.09.2020	Negative
C24831	LALBIHARI YADAV KX - 873	54	M	02.09.2020	Negative
C24811	RAMASHANKAR YADAV KX - 874	49	M	02.09.2020	Negative
C24791	SHIVLING GUDAGI KX - 883	66	M	02.09.2020	Negative
C24795	BABULAL PRAJAPATI KX - 889	38	M	02.09.2020	Negative
C24832	BANSRAJ SINGH KX - 890	67	M	02.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 18:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24833	GOPARAM DEVASI KX - 885	35	M	02.09.2020	Negative
C24805	ROHIT GUPTA KX - 891	22	M	02.09.2020	Negative
C24810	LALJEET SINH KX - 893	45	M	02.09.2020	Negative
C24803	DINANATH GUPTA KX - 895	48	M	02.09.2020	Negative
C24790	RAMESH PRAJAPATI KX - 896	44	M	02.09.2020	Negative
C24804	DINESH KUMAVAT KX - 897	34	M	02.09.2020	Negative
C24799	SHIVLAL KUMAVAT KX - 898	24	M	02.09.2020	Negative
C24802	SADHANA SINGH KX - 899	32	F	02.09.2020	Negative
C24834	AASHU KUMAVAT KX - 900	24	M	02.09.2020	Negative
C24801	RAMESH KUMAVAT KX - 901	35	M	02.09.2020	Negative
C24800	AABU BAKAR KX - 902	34	M	02.09.2020	Negative
C24789	AMARNATH MOURYA KX - 894	49	M	02.09.2020	Negative
C24817	MANOJKUMAR KAMBLE K - 2996	42	M	02.09.2020	Negative
C24807	RAMESH PAWAR K - 2997	41	M	02.09.2020	Negative
C24808	MANAS SAWANT K - 3010	1Y5M	M	02.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 18:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24815	ANITA SAKPAL K - 3013	35	F	02.09.2020	Negative
C24814	VIKI KHARAT K - 3014	27	M	02.09.2020	Negative
C24813	RAMCHANDRA SHINDE K - 3017	69	M	02.09.2020	Negative
C24818	GURUNATH GHANEKAR K - 3018	50	M	02.09.2020	<b>Positive</b>
C24819	RASHMI GHANEKAR K - 3019	49	F	02.09.2020	<b>Positive</b>
C24820	ATUL WAYAL K - 3023	37	M	02.09.2020	Negative
C24821	POORNIMA MALEKAR K - 3032	30	F	02.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)