

# NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

### COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

#### **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	04/08/2020 14:40 pm
Date and time of reporting (dd/mm/yyyy)	05/08/2020 11:58 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19941	FREDRICK REBARIA	57	М	05.08.2020	Negative
C19942	MOHAMMED SAIPHULLA SHAIKH	39	М	05.08.2020	Negative
C19943	GANESH HANUMAT MASTER	24	М	05.08.2020	Negative
C19944	KAVITA LATE	37	F	05.08.2020	Negative
C19945	SACHIN G SURVE	50	М	05.08.2020	Positive
C19930	QUMAR ALI SAYYED	36	М	05.08.2020	Negative
C19931	SHABBIR DASTAGIR CHOUDHARY	26	M	05.08.2020	Negative
C19932	MUNEZA MOHD MEERASHA	11	F	05.08.2020	Negative
C19933	ZOHRA MOHD MEERASHA	42	F	05.08.2020	Negative
C19934	MUZNAH MOHD MEERASHA	18	F	05.08.2020	Negative
C19935	LAKHI SURESH NAUTIYAL	26	F	05.08.2020	Negative
C19936	PRIYA GAUTAM BAGUL	27	F	05.08.2020	Negative
C19937	KANNAN KARIAPPA	35	М	05.08.2020	Negative
C19938	URMIL KALPESHKUMAR SHAH	33	М	05.08.2020	Negative
C19939	MOHD KASIM	30	М	05.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

### COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

#### **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	04/08/2020 14:40 pm
Date and time of reporting (dd/mm/yyyy)	05/08/2020 11:58 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19940	ARUN MOHAN CHANDRAN	26	М	05.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)