

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	) 15/08/2020 17:00 pm		
Date and time of reporting (dd/mm/yyyy)	17/08/2020 12:17 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22023	AMIT LALA	46	М	17.08.2020	Positive
C22088	AVINASH SUDAM PANDIT WS - 76	40	М	17.08.2020	Positive
C22089	ISHWARI UMESH MORE WS - 73	13	F	17.08.2020	Negative
C22090	GOPAL N. AMIN WS - 55	64	М	17.08.2020	Negative
C22091	REKHA UMESH MORE WS - 71	34	F	17.08.2020	Negative
C22092	CHHAYA RUPESH PATIL WS - 65	33	F	17.08.2020	Negative
C22093	PRADIP CHIMNAJIRAO RANE WS - 54	60	М	17.08.2020	Negative
C22094	ANUJA BHATNAGAR WS - 48	30	F	17.08.2020	Positive
C22095	HEERA BHATNAGAR WS - 47	66	F	17.08.2020	Negative
C22096	ANSHU BHATNAGAR WS - 46	32	М	17.08.2020	Negative
C22097	SAROJ YASHVANTKUMAR DESAI WS - 36	63	F	17.08.2020	Negative
C22098	NILESH C. BHOSLE WS - 34	40	М	17.08.2020	Negative
C22099	DHRUVIKA MAHENDRA PARAB WS - 32	81	F	17.08.2020	Negative
C22100	MAYURI MAHENDRA PARAB WS - 531	32	F	17.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)