



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/08/2020 14:50 pm
Date and time of reporting (dd/mm/yyyy)	09/08/2020 12:56 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20622	KETAN LAXMAN THAKRE	24	M	09.08.2020	Negative
C20623	PRASHAT PANDURAN LOHAR	34	M	09.08.2020	Negative
C20624	ARCHANA MANOJ GAIKWAD	34	F	09.08.2020	Positive
C20625	GAYATRI SANTOSH JADHAV	35	F	09.08.2020	Negative
C20626	SOPAN JAYRAM BHOIR	30	M	09.08.2020	Negative
C20627	SUMITRA JAYKUMAR BHANUSHALI	76	F	09.08.2020	Negative
C20628	YOGESH MANOHAR JADHAV	39	M	09.08.2020	Positive
C20629	KAILAS CHINTAMAN GOTAR	40	M	09.08.2020	Negative
C20630	HARISHCHANDRA GANPAT FARDE	43	M	09.08.2020	Negative
C20631	TUSHAR RAMESH GHODVINDE	33	M	09.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Sharma

Verified by
Dr. Shalmali Dharma Ph. D

Udale

Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)