



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 17:50 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24520	KANTARAM KALURAM BHOIR		M	01.09.2020	Negative
C24521	RAMCHANDRA DHAU SHINGOLE	52	M	01.09.2020	Negative
C24522	BABY SHARAD BHERE	30	F	01.09.2020	Negative
C24523	SUVESH PANDURANG SURASHE	28	M	01.09.2020	Positive
C24524	RAMESH CHINDHU SUROSHE	35	M	01.09.2020	Negative
C24525	SHANKAR BANDU MORE	65	M	01.09.2020	Inconclusive (Repeat Fresh Sample)
C24526	JIDNYA RAJENDRA BHOIR	18	M	01.09.2020	Positive
C24527	HARSHAD MOHITE	40	M	01.09.2020	Positive
C24528	KISAN DUNDA HARSHAD	35	M	01.09.2020	Positive
C24529	DINESH BARKU SHELVALE	38	M	01.09.2020	Negative
C24530	UMESH MUKUND SHELVALE	28	M	01.09.2020	Negative
C24531	BALAJI SAVALARAM DHANGAR	80	M	01.09.2020	Negative
C24532	RAJESH SHANKAR MORE	40	M	01.09.2020	Positive
C24540	KALURAM UNDRU AGIWALE	60	M	01.09.2020	Negative
C24541	SUNANDA SURYARAO	74	F	01.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 17:50 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24542	SANJAY BARKU SHELAWALE	48	M	01.09.2020	Negative
C24543	VIJAY YASHWANT CHOUDHARI	24	M	01.09.2020	Positive
C24533	NIRMALA NITIN CHAVAN	42	F	01.09.2020	Positive
C24534	RUTUJA VISHE	16	F	01.09.2020	Positive
C24535	TANUJA VISHE	15	F	01.09.2020	Negative
C24536	SHRAVANI KAPADE	11	F	01.09.2020	Positive
C24537	SHRAVAN KAPADI	14	M	01.09.2020	Negative
C24538	BHALCHANDRA KAPADI	42	M	01.09.2020	Positive
C24539	DATTATRAY KAPADI	68	M	01.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)