



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/09/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	22/09/2020 18:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31743	SHARDA GANU GAWADE 923	65	F	22.09.2020	Negative
C31744	POOJA MAHESH SHARMA 941	20	F	22.09.2020	Negative
C31745	MAMTA SUBHASH BANGOLE 954	52	F	22.09.2020	Negative
C31746	PRAKASH BALIRAM JADHAV 933	50	M	22.09.2020	Negative
C31747	MEENA DARASIHA CHANDALIYA 907	45	F	22.09.2020	Negative
C31748	MOHD AFIB CHAUDHARY 21605	22	M	22.09.2020	Negative
C31749	RAVINDRA NARAYANA KONDI 21605	57	M	22.09.2020	Negative
C31750	DHARMENDRA MANISWAR 21633	28	M	22.09.2020	Inconclusive (Repeat Fresh Sample)
C31751	RAZIYA HASHMI 20954	49	F	22.09.2020	Negative
C31784	FAYAZ QURESHI 947	49	M	22.09.2020	Negative
C31785	INDUBAI SALUNKHE 929	65	F	22.09.2020	Negative
C31786	SHIVRAM KAMBLE 940	69	M	22.09.2020	Negative
C31787	BASURAJ PADEDI 952	50	M	22.09.2020	Negative
C31778	KALPANA POTDAR	64	F	22.09.2020	Negative
C31779	SURESH WAGHMARE	50	M	22.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/09/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	22/09/2020 18:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31780	BALKRUSHNA MULEHAR	62	M	22.09.2020	Negative
C31781	KALIRAM NIPUTE	49	M	22.09.2020	Negative
C31782	MAHADEV ADHIKARI	48	M	22.09.2020	Negative
C31783	SUNITA TANDIL	50	F	22.09.2020	Negative
C31790	SURESH MALEKAR	20	M	22.09.2020	Negative
C31789	KRISHNA SHINDE	57	M	22.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)