



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	03/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	04/06/2020 20:42 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6574	CHANDRABHUSHAN MISHRA	22	M	04.06.2020	Negative
C6575	KISHOR HARISHCHANDRA KIRPAN	37	M	04.06.2020	<b>Positive</b>
C6576	BHUPESH MANGALDAS JADHAV	40	M	04.06.2020	Negative
C6577	PRIYA SANTOSH MORE	15	F	04.06.2020	Negative
C6578	KOMAL VIJAY INGLE	20	F	04.06.2020	Negative
C6579	SANYOG SANTOSH MORE	16	M	04.06.2020	Negative
C6580	KAJAL VIJAY INGLE	24	F	04.06.2020	Negative
C6581	PRAMEELA DEEPAK INGALE	18	F	04.06.2020	Negative
C6582	BALARAM GAJANAN BHERE	30	M	04.06.2020	Negative
C6583	PIYUSH NILESH DHAMANE	2	M	04.06.2020	Negative
C6584	ANKITA VIKRANT DHIRDE		F	04.06.2020	Negative
C6585	APARNA AKSHAY PATIL	26	F	04.06.2020	Inconclusive (Repeat Fresh Sample)
C6586	USHA VASANT VISHE	60	F	04.06.2020	Negative
C6587	AKASH BHASKAR SAPAT	21	M	04.06.2020	Negative
C6588	KAMAL BHASKAR SAPAT	40	F	04.06.2020	Negative
C6589	KISHOR BHASKAR SAPAT	28	M	04.06.2020	Negative
C6590	MADHUKAR GOVIND DHAMNE	60	M	04.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)