



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 12:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11435	YOGESH CHAUDARI 219	36	M	30.06.2020	Negative
C11407	MANISHA JAISWAL 1219	27	F	30.06.2020	Negative
C11408	NILESH SHAHU 2420	27	M	30.06.2020	Negative
C11393	ARCHANA KUMBHAR 1230	31	F	30.06.2020	Negative
C11409	NARAYAN KAWDE 715	37	M	30.06.2020	Positive
C11410	KISAN BARAT 307	33	M	30.06.2020	Positive
C11392	SNEHA NAGATE 1430	25	F	30.06.2020	Negative
C11411	KAMAL MANE 1420	63	M	30.06.2020	Negative
C11391	BALU MOTE 803	45	M	30.06.2020	Positive
C11390	ASHOK BHORE 825	52	M	30.06.2020	Negative
C11417	KALPANA BHORE 827	45	F	30.06.2020	Negative
C11389	GOPAL SHINDE 1429	43	M	30.06.2020	Negative
C11412	HIRAMAN TATVAKAR 817	55	M	30.06.2020	Negative
C11394	RESHMA TATVAKAR 817	45	F	30.06.2020	Negative
C11388	VIJAY MOHITE 831	45	M	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 12:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11413	VARSHA MOHITE 814	40	F	30.06.2020	Negative
C11414	MAHADEV KHAIRE 829	45	M	30.06.2020	Negative
C11387	SANGEETA KHAIRE 829	40	F	30.06.2020	Negative
C11406	SHRADHA DEKHAR 1208	48	F	30.06.2020	Negative
C11415	RAKESH NAIK 1218	37	M	30.06.2020	Negative
C11416	PRADNYA NAIK 1217	31	F	30.06.2020	Negative
C11418	SANJAY SALUNKHE 811	35	F	30.06.2020	Negative
C11419	SHANTA KUMBHAR 1229	60	F	30.06.2020	Negative
C11405	DINKAR KUMBHAR 1229	67	M	30.06.2020	Negative
C11420	SHAKUNTALA SINGH 2129	37	F	30.06.2020	Negative
C11421	MAHANANDA INGOLE 2310	48	M	30.06.2020	Negative
C11422	CHITRA JAGTAP 2127	42	F	30.06.2020	Negative
C11423	VAIBHAV SAHANE 2217	36	M	30.06.2020	Negative
C11424	MANSI GONDHALI 2219	43	F	30.06.2020	Negative
C11404	LEELABAI KAMBLE 2218	50	F	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 12:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11425	CHINTA GUPTE 2104	40	F	30.06.2020	Negative
C11426	SUVAT GUPTE 2105	55	M	30.06.2020	Positive
C11403	LAGMAURA MALGE 1833	70	F	30.06.2020	Negative
C11402	MALSEDDHA MALGE 1833	45	M	30.06.2020	Negative
C11401	CHATURABAI INGALE 1833	90	F	30.06.2020	Positive
C11400	PRATIBHA MALGE 1814	35	F	30.06.2020	Negative
C11399	KALPANA BALADE 1923	55	F	30.06.2020	Negative
C11398	ASHWINI JADHAV 608	55	F	30.06.2020	Negative
C11427	VINOD BHAMRID 607	42	M	30.06.2020	Negative
C11428	SHANKAR BHAMRID 610	70	M	30.06.2020	Negative
C11397	SHUKRAM RAUT 518	40	M	30.06.2020	Negative
C11429	MADHURI KUMBHAR 1230	31	F	30.06.2020	Negative
C11396	RESHMA KASARE 2003	30	F	30.06.2020	Negative
C11430	ADVEY KHAMKAR 1401	4 M	M	30.06.2020	Negative
C11395	ANSHULA WANI 1724	19	F	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 12:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11431	ANJUSHA WANI 1724	12	F	30.06.2020	Negative
C11432	ARUNA JADHAV 2327	59	F	30.06.2020	Negative
C11433	BASANTU VISHWAKARMA 620	40	M	30.06.2020	Negative
C11434	SAMPADA SAWANT 1620	47	F	30.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)