

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

-				
	Date & Time of receipt of specimen (dd/mm/yyyy)	27/09/2020 13:30 pm		
ĺ	Date and time of reporting (dd/mm/yyyy)	28/09/2020 19:03 pm		
ĺ	SPECIMEN DETAILS	Nasopharyngeal Swab		
ſ	NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33024	SANJAY Y. CHOUDHARY	49	М	28.09.2020	Negative
C33023	JANNATH RAOSAHEB GOVIND	28	М	28.09.2020	Positive
C33022	CHHEDILAL RAJBHAR	49	М	28.09.2020	Negative
C33021	SACHIN DHANRAJ PATIL	23	М	28.09.2020	Positive
C33020	MD. FAKRUDDIN SK	25	М	28.09.2020	Positive
C33019	MOHD TABISH RAEES SHAIKH	17	M	28.09.2020	Negative
C33018	SHRIKRISHNA SAHEBRAO PATOLE	34	М	28.09.2020	Negative
C33017	LAXMAN ARJUN MHATRE	65	M	28.09.2020	Negative
C33016	ARCHANA SHALIK PATIL	28	F	28.09.2020	Negative
C33015	MANISHA SUNIL MUSALE	38	F	28.09.2020	Positive
C33014	SHAHIN JAHIR ANSARI	21	F	28.09.2020	Negative
C33013	POOJA DATTU SONAWANE	35	F	28.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws.
Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D