

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 16:15 pm	
Date and time of reporting (dd/mm/yyyy)	27/09/2020 20:34 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32892	SHARAYU RIKAME K- 5063	30	F	27.09.2020	Negative
C32893	BALKRISHNA AGHAV K- 5077	43	М	27.09.2020	Positive
C32894	RAJESH MUDAWANE K- 5059	40	М	27.09.2020	Inconclusive (Repeat Fresh Sample)
C32895	ADITYA SALEKAR K-5070	27	М	27.09.2020	Negative
C32896	SMITA TIWARI K-5034	39	F	27.09.2020	Positive
C32897	KANCHAN AGHAV K-5076	65	F	27.09.2020	Inconclusive (Repeat Fresh Sample)
C32898	MAYABAI RAWATE K- 5085	30	F	27.09.2020	Negative
C32899	VANITA NAGARIYA K- 5068	52	F	27.09.2020	Negative
C32900	ANITA KHANEKAR K-5051	44	F	27.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)