

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

| Date & Time of receipt of specimen (dd/mm/yyyy) | 27/05/2020 17:30 pm | |
|---|---------------------|--|
| Date and time of reporting (dd/mm/yyyy) | 29/05/2020 15:08 pm | |
| SPECIMEN DETAILS | Nasopharyngeal Swab | |
| NAME OF QUARANTINE CENTER / HOSPITAL | kores hospital | |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|------------------------|-----------|--------|------------------------|------------|
| C5471 | DR. YOGITA DHAIGUDE | 41 | F | 27.05.2020 | Negative |
| C5472 | MR. ABHIJEET B. INGALE | 32 | М | 27.05.2020 | Positive |
| C5473 | PRACHI P. SHINDE | 29 | F | 27.05.2020 | Negative |
| C5474 | NIRMALA S. MOHITE | 49 | F | 27.05.2020 | Negative |
| C5475 | SWATI G. LALGE | 43 | F | 27.05.2020 | Negative |
| C5476 | UJAWAL S. AROTE | 55 | F | 27.05.2020 | Negative |
| C5477 | PARSHURAM D. GAYAL | 31 | М | 27.05.2020 | Negative |
| C5478 | ASHWINI S. MOHITE | 27 | F | 27.05.2020 | Negative |
| C5479 | DEEPTI M. PANDERE | 32 | F | 27.05.2020 | Negative |
| C5480 | GANESH S. MOHITE | 24 | M | 27.05.2020 | Negative |
| C5481 | HARSH H. GUPTA | 6 | M | 27.05.2020 | Positive |
| C5482 | LATA S. SURYAWANSHI | 55 | F | 27.05.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro-Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)