



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 23:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 13:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16517	DHIRAJ RAJU JADHAV 12508/335	30	M	21.07.2020	Negative
C16518	NARENDRA YASHWANT DAVLA 38757/309	30	M	21.07.2020	Positive
C16519	NITIN SUBHAS WADLE 12477/311	33	M	21.07.2020	Positive
C16523	VIKAS SUBHASH SHELAR 12503/334	35	M	21.07.2020	Positive
C16524	JAGRUTI PRAKASH DAKWE 12512/338	20	F	21.07.2020	Negative
C16532	SUNANDA BHASKAR VARTHE 12498/329	60	M	21.07.2020	Negative
C16533	PANKAJ BALASAHEB DESHMUKH 12502/331	33	M	21.07.2020	Negative
C16530	VISHAL SURYABHAN KHARE 12493/323	21	M	21.07.2020	Negative
C16535	VIKAS RAMBABU CHAURASIA 12494/324	17	M	21.07.2020	Negative
C16531	TRIVENDRA MAHENDRA GAIKWAD 12451/325	24	M	21.07.2020	Negative
C16536	CHANDRAKANT SIDHRAM GAIKWAD 12496/326	65	M	21.07.2020	Negative
C16528	ABHISHEK SUNIL BHANUSHALI 12487/318	27	M	21.07.2020	Positive
C16529	PRAVIN GOVIND PATIL 12466/319	33	M	21.07.2020	Positive
C16534	ROHAN BHALCHANDRA KOLI 12490/320	41	M	21.07.2020	Positive
C16520	PRAMOD RAJARAM GHOLAP 12481/313	37	M	21.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 23:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 13:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16526	SHAILAJA SAPKALE 38720/314	43	F	21.07.2020	Negative
C16521	UNNIKRISHNAN CHOOLIKATTIL 12482/315	68	M	21.07.2020	Positive
C16527	MUSHTAQ ABDULRAZZAQ SHAIKH 12485/316	62	M	21.07.2020	Negative
C16525	KAMLA YASHWANT DAVLA 38758/310	45	F	21.07.2020	Negative
C16522	KASHISH LAKHANI 339	35	F	21.07.2020	Negative
C16537	RAMAKANT DHONDU GAWALE 12801/330	50	M	21.07.2020	Positive
C16510	GIRISH S. KULKARNI	52	M	21.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)