



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 15:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11501	RAJESH BHAGAT	42	M	30.06.2020	Positive
C11502	RAJESH YADAV	35	M	30.06.2020	Positive
C11503	LASITTI DURYODHAN	34	M	30.06.2020	Negative
C11504	SIRAJ ALBAKSH SHAIKH	40	M	30.06.2020	Negative
C11505	BETY SUMIT RAJ	30	M	30.06.2020	Negative
C11506	MAINUDDIN MOHAMMAD DAWOOD WANI	40	M	30.06.2020	Negative
C11507	ISHTIYAKH SHAIKH	53	M	30.06.2020	Negative
C11508	JOHN MICHEL	56	M	30.06.2020	Negative
C11509	VISHNU ZULUK	60	M	30.06.2020	Positive
C11510	SHARAD PAWAR	29	M	30.06.2020	Negative
C11511	SIDDIQUE SHAIKH	41	M	30.06.2020	Negative
C11512	SUNITA YADAV	34	F	30.06.2020	Negative
C11513	ASHISH JADHAV	29	M	30.06.2020	Negative
C11514	RAM MARUTI NIRMAL	42	M	30.06.2020	Negative
C11515	SHAIKH SOHAIL IQBAL	38	M	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	30/06/2020 15:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11516	SANDEEP ATMARAM PALVALKAR	50	M	30.06.2020	Negative
C11517	DR VARAIVA SUNDARAM VERAPPAAN	27	M	30.06.2020	Negative
C11518	DR PIYUSH MALOKAR	30	M	30.06.2020	Negative
C11519	SURESH SEKAR	40	M	30.06.2020	Negative
C11520	WILSON DINKAR KAMBLE	37	M	30.06.2020	Positive
C11521	KISMAT ALI SHAIKH	48	M	30.06.2020	Negative
C11522	MANOJ SHINGE	37	M	30.06.2020	Negative
C11523	ASHOK BHAGWANDAS TRIPATHI	50	M	30.06.2020	Negative
C11524	VIKAS VIKRAM PRASAD	17	M	30.06.2020	Positive
C11525	RAMKRUSHNA SHINGE	45	M	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)