



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	01/07/2020 14:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11578	RAMESH BUDHA DAGALE	37	M	01.07.2020	Negative
C11577	VAISHALI KAILASH DAGALE	21	F	01.07.2020	Negative
C11576	AYUSHI KAILASH DAGALE	2	F	01.07.2020	Negative
C11575	PRAKASH BHULCHAND VANJARANI	50	M	01.07.2020	Positive
C11574	PRASHIL SHANKAR MOON	28	M	01.07.2020	Positive
C11573	SHALU RAGHUNATH SHID	20	F	01.07.2020	Negative
C11572	SAHIL MUKESH GHOSALKAR	11	M	01.07.2020	Positive
C11571	AADI VINOD GANGURDE	13	M	01.07.2020	Positive
C11570	KANCHAN KANTILAL HAJARE	37	F	01.07.2020	Negative
C11569	KARTIK SUNIL JADHAV	12	M	01.07.2020	Negative
C11568	ARIHANT MUKESH GHOSALKAR	7	M	01.07.2020	Negative
C11567	SANAVI DNYANESHWAR CHAUDHARI	1	F	01.07.2020	Negative
C11566	ASMITA DNYANESHWAR CHAUDHARI	27	F	01.07.2020	Negative
C11565	SMITA AATMARAM CHAUDARI	55	F	01.07.2020	Negative
C11564	YOGESH AATMARAM CHAUDHARI	30	M	01.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/06/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	01/07/2020 14:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11563	AATMARAM SHANKAR CHAUDHARI	64	M	01.07.2020	Negative
C11562	AADITYA PARSHURAM JADHAV	19	M	01.07.2020	Positive
C11561	CHETAN PARSHURAM JADHAV	21	M	01.07.2020	Positive
C11560	KAVITA SUNIL DOLAS	23	F	01.07.2020	Positive
C11559	SUNIL NANDU DOLAS	23	M	01.07.2020	Negative
C11558	SACHIN GAJANAN SATPUTE	23	M	01.07.2020	Negative
C11557	DNYANESHWAR AATMARAM CHAUDHARI	30	M	01.07.2020	Negative
C11556	RAHUL CHANDRAKANT JADHAV	24	M	01.07.2020	Positive
C11555	SUNIL WAMAN MAHALUNGE	41	M	01.07.2020	Positive
C11554	PRAPTI SUNIL WAGH	17	F	01.07.2020	Negative
C11553	TRUPTI SUNIL WAGH	13	F	01.07.2020	Negative
C11552	BARAKU AABLYA AAHER	50	M	01.07.2020	Negative
C11551	KESHARBAI BAJIRAO WAGH	60	F	01.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)