



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	11/09/2020 17:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27940	DR. SAYAMA KHAN N - 3223/ A - 3223	31	F	11.09.2020	Negative
C27941	KAMLESH BALU PATIL 15534 / A - 3202	23	M	11.09.2020	Negative
C27942	NARAYAN DHAGHE AA - 2312	63	M	11.09.2020	<b>Positive</b>
C27943	DILSHAD ANSARI 15434 / A - 3104	22	M	11.09.2020	Negative
C27944	MUKESH MOURYA 45365 / A - 3205	26	M	11.09.2020	Negative
C27945	BABU WAGHAMARE 15460 / A - 3116	42	M	11.09.2020	Negative
C27946	MOHD. NAUSHAD AALAM 15437 / A - 3107	22	M	11.09.2020	<b>Positive</b>
C27947	MOHD. SARFARAJ ANSARI 15439 / A - 3109	23	M	11.09.2020	Negative
C27948	ABDUL IJAZ ANSARI 15440 / A - 3110	22	M	11.09.2020	Negative
C27949	SHAMSHAAD HUSAIN 15445 / A - 3114	24	M	11.09.2020	Negative
C27950	MOHD FAIAZ 15444 / A - 3115	24	M	11.09.2020	Negative
C27951	MANDA KRISHNA BAN 19789 / A - 3171	60	F	11.09.2020	Negative
C27952	ADITI KADAM 15500 / A - 3169	29	F	11.09.2020	<b>Positive</b>
C27953	SONU GANPAT MHATRE 15503 / A - 3175	62	F	11.09.2020	<b>Positive</b>
C27954	SAHIL ANSARI 19604 / A - 3161	19	M	11.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	11/09/2020 17:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27955	AKSHAY URF GURU RAGHUVeer ZARI 15497 / A - 3160	26	M	11.09.2020	Negative
C27956	SATISH SHARMA 15490 / A - 3159	21	M	11.09.2020	<b>Positive</b>
C27957	MAHENDRA RAJPUT 15495 / A - 3158	32	M	11.09.2020	Negative
C27958	DINESH GANESH SOLANKI 15467 / A - 3121	25	M	11.09.2020	Negative
C27959	PUSHPALATA PATIL 15443 / A - 3118	60	F	11.09.2020	Negative
C27960	EKNATH SITARAM DHANAWADE 19585 / A - 3130	64	M	11.09.2020	Negative
C27961	SUBHASH GAWARE 15468 / A - 3140	52	M	11.09.2020	Negative
C27962	HARIDAS BHOIR 15512 / A - 3170	29	M	11.09.2020	Negative
C27963	YADUL USHALA 45366 / A - 3206	36	M	11.09.2020	Negative
C27964	KAUSTUBH KAPODSAKAR 15515 / A - 3179	30	M	11.09.2020	Negative
C27965	SHIRISH MATEKAR N - 3189 / A - 3189	30	M	11.09.2020	Negative
C27966	VINAYAK POPAT KARDE 15522 / A - 3190	38	M	11.09.2020	Negative
C27967	RAJESH JHA 15533 / A - 3199	35	M	11.09.2020	Negative
C27968	ASHVIN KOTIAN 15528 / A - 3197	34	M	11.09.2020	<b>Positive</b>
C27969	VISHAL MANOJ GUPTA 45976	22	M	11.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	11/09/2020 17:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27970	PRATIK TAKKEKAR 2950	30	M	11.09.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)