



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/08/2020 16:15 pm
Date and time of reporting (dd/mm/yyyy)	12/08/2020 16:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21200	RAJESHRI DATTATRAY BORATE	45	F	12.08.2020	Negative
C21213	NEETESH SURESH EGADE	24	M	12.08.2020	Positive
C21201	VIKASH VIJAY BANGAR	27	M	12.08.2020	Positive
C21202	HARISHCHANDRA SHANKAR VYAPARI	80	M	12.08.2020	Positive
C21203	SANTOSH GOVIND DURGE	40	M	12.08.2020	Positive
C21204	VIKASH RAMESH PARADE	32	M	12.08.2020	Negative
C21205	LILABAI BHASKAR EGADE	58	F	12.08.2020	Positive
C21206	BHASKAR KATHOD EGADE	70	M	12.08.2020	Positive
C21207	CHAYA ASHOK SHAHA	68	F	12.08.2020	Negative
C21208	GANPAT PADU ROTHE	75	M	12.08.2020	Positive
C21210	KIYARA ANIL EGADE	2	F	12.08.2020	Negative
C21211	GEETA GAJANAN BANGAR	55	F	12.08.2020	Negative
C21212	CHENDRA BHUSEN RAUT	23	M	12.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)