



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 18:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25013	MEGHANA MAHENDRA LAD 829	35	F	03.09.2020	Positive
C25014	AMBABEN LAD 830	65	F	03.09.2020	Positive
C25043	DHURVI LAD 829	8	F	03.09.2020	Positive
C25015	PREET LAD 829	5	F	03.09.2020	Negative
C25016	VIDHI LAD 831	13	F	03.09.2020	Positive
C25017	NANDINI VARMA 832	23	F	03.09.2020	Negative
C25018	GANGARU S.K. 1003	26	M	03.09.2020	Positive
C25019	MAHIM SHAIKH 1002	23	M	03.09.2020	Positive
C25020	IMRAN SHAIKH 1001	22	M	03.09.2020	Negative
C25021	BRAHMADEV YADAV 1008	35	M	03.09.2020	Negative
C25022	SANJAY YADAV 1004	24	M	03.09.2020	Negative
C25025	RAHUL KUMAR 1016	20	M	03.09.2020	Negative
C25023	VINOD KUMAR YADAV 1033	25	M	03.09.2020	Negative
C25024	VIKAS CHAURASIYA 1013	24	M	03.09.2020	Negative
C25027	VIJAY KUMAR YADAV 1014	30	M	03.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 18:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25026	UMESH KUMAR 1015	20	M	03.09.2020	Negative
C25042	HIJARI GUPTA 1011	40	M	03.09.2020	Positive
C25028	VINOD CHAURASIYA 1032	24	M	03.09.2020	Negative
C25030	MUNNA KUMAR 1010	36	M	03.09.2020	Negative
C25031	LALKESHWAR YADAV 1007	35	M	03.09.2020	Negative
C25029	PREMCHAND YADAV 1006	40	M	03.09.2020	Negative
C25032	PAPPUKUMAR YADAV 1009	34	M	03.09.2020	Negative
C25033	SANDEEP JAISWAL 1031	24	M	03.09.2020	Negative
C25034	DINESH KUMAR 1012	24	M	03.09.2020	Negative
C25035	SUSHMA DESHMANE 908	30	F	03.09.2020	Negative
C25036	GAURAV DESHMANE 909	4	M	03.09.2020	Negative
C25037	KAMAL DESHMANE 909	55	F	03.09.2020	Negative
C25038	DHANASHREE DESHMANE 908	9	F	03.09.2020	Positive
C25039	JANHAVI DESHMANE 908	6	F	03.09.2020	Negative
C25040	RAMESH SONAVANE 723	50	M	03.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 18:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25041	NARIDAS DEVIDAS BHALERAO 718	45	M	03.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)