



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	24/07/2020 17:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ACNE OZONE QUARANTINE MANPADA CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17478	SUMAN SHAH	16	F	24.07.2020	Negative
C17479	RANJANA SHAH	47	F	24.07.2020	Negative
C17480	BABURAO GAIKWAD	59	M	24.07.2020	Negative
C17481	ASHISH GAIKWAD	25	M	24.07.2020	Negative
C17482	SANJIT JANARDAN	17	M	24.07.2020	Negative
C17483	INDU JANARDAN	48	F	24.07.2020	Positive
C17484	CHAMPAVATI MAHADESHWAR	70	F	24.07.2020	Negative
C17485	DATTATRAY MAHADESHWAR	43	M	24.07.2020	Negative
C17486	RAMESH JAISWAL	27	M	24.07.2020	Negative
C17487	DINESH JAISWAL	29	M	24.07.2020	Negative
C17488	UMESH JAISWAL	25	M	24.07.2020	Negative
C17489	SHWETA GUPTA	22	F	24.07.2020	Negative
C17490	DEEPAK GUPTA	18	M	24.07.2020	Negative
C17491	BABITA GUPTA	40	F	24.07.2020	Negative
C17492	AJAY SANTOSH SHARMA	22	M	24.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	24/07/2020 17:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ACNE OZONE QUARANTINE MANPADA CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17493	ASHOK SANTOSH SHARMA	29	M	24.07.2020	Negative
C17494	DR. YOGITA DHAIGUDE	41	M	24.07.2020	Negative
C17495	DR. MANOHAR DHAIGUDE	42	M	24.07.2020	Negative
C17496	ANJALI RATHOD	24	F	24.07.2020	Negative
C17497	ARJUN RATHOD	52	M	24.07.2020	Negative
C17498	VISHAL RATHOD	27	M	24.07.2020	Negative
C17499	ASHOK KARKALE	63	M	24.07.2020	Negative
C17500	SUMAN KARKALE	55	F	24.07.2020	Negative
C17501	ASHWINI RATHOD	27	F	24.07.2020	Negative
C17502	SUNIL JANARDAN	25	M	24.07.2020	Negative
C17503	ASHA KRUSHNA KHADE	47	F	24.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)