



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/07/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	29/07/2020 17:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18397	BABAN PANDURANG PAWAR	65	M	29.07.2020	Negative
C18398	DINESH RAMCHANDRA CHAUDHARI	43	M	29.07.2020	Negative
C18399	SARTHAK SUNIL DESHMUKH	18	M	29.07.2020	Negative
C18400	RADHIKA KRUSHNA SHIRODE	32	F	29.07.2020	Positive
C18401	KRUTIKA KRUSHNA SHIRODE	9	F	29.07.2020	Negative
C18402	RUDRA KRUSHNA SHIRODE	4	M	29.07.2020	Negative
C18403	SUNANDA PANDURANG SHIRODE	59	F	29.07.2020	Negative
C18404	LAVKUMAR KESHAV ZUMJARAO	53	M	29.07.2020	Positive
C18405	DR PRIYANKA NANDKISHOR GARDE	40	F	29.07.2020	Negative
C18406	PARDEEP HARISHCHANDRA LATE	31	M	29.07.2020	Positive
C18407	SATISH BABAN PAWAR	35	M	29.07.2020	Negative
C18408	BASAWARAJ HANUMANT SIVPUSE	36	M	29.07.2020	Positive
C18409	BHAVESH VIJAY GANJALE	13	M	29.07.2020	Negative
C18410	BHARATI MUKESH PAWAR	30	F	29.07.2020	Negative
C18411	DATTATRAY NAMDEV BORATE	53	M	29.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/07/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	29/07/2020 17:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18412	VEDANT SATISH PAWAR	8	M	29.07.2020	Negative
C18413	SHANTABAI BABAN PAWAR	60	F	29.07.2020	Negative
C18414	YASH VIJAY GANJALE	14	M	29.07.2020	Positive
C18415	SHITAL SATISH PAWAR	30	F	29.07.2020	Negative
C18416	SUREKHA DHONDIRAM CHINCHOLE	60	F	29.07.2020	Negative
C18417	DHONDIRAM CHINCHOLE	64	M	29.07.2020	Positive
C18418	ROHINI VIJAY GANJALE	33	F	29.07.2020	Negative
C18419	SWATI JEETENDRA LAAD	32	F	29.07.2020	Negative
C18420	VATSALA UMAJI GANJALE	56	F	29.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)