



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29085	MITHAILAL SAROJ KX-2070	58	M	14.09.2020	Negative
C29084	RAJKUMAR YADAV KX-2077	34	M	14.09.2020	Negative
C29083	VASAN PANCHAL KX-2073	52	M	14.09.2020	Negative
C29082	DURGESH PRAJAPTI KX-2075	32	M	14.09.2020	Negative
C29081	SUDESH BHAVALI KX-2066	28	M	14.09.2020	Negative
C29080	TEJARAO KAMREDI KX-2078	37	M	14.09.2020	Negative
C29079	ASHOK PRAJAPATI KX-2071	47	M	14.09.2020	Negative
C29078	ANNIRUDDHA GAUTAM KX-2069	19	M	14.09.2020	Negative
C29077	PRAVIN PANCHAL KX-2093	55	M	14.09.2020	Negative
C29076	KRUSHNA RAJBHAR KX-2095	24	M	14.09.2020	Negative
C29075	KAMLESH YADAV KX-2091	34	M	14.09.2020	Negative
C29074	VIJAY PRATAP VERMA KX-2084	56	M	14.09.2020	Negative
C29073	MAHENDRA SAROJ KX-2086	40	M	14.09.2020	Negative
C29072	ANIL RAJBHAR KX-2081	32	M	14.09.2020	Negative
C29071	DNYANU CHAVAN KX-2087	44	M	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29070	RAJESH YADAV KX-2094	33	M	14.09.2020	Negative
C29069	MONU SAROJ KX-2088	19	M	14.09.2020	Negative
C29068	ANIL GUPTA KX-2092	19	M	14.09.2020	Negative
C29067	NAJUKRAO MOHAD KX-2096	55	M	14.09.2020	Negative
C29066	SUBHASH SAROJ KX-2090	31	M	14.09.2020	Negative
C29065	RAKESH PANCHAL KX-2072	34	M	14.09.2020	Negative
C29064	RAM YADAV KX-2068	50	M	14.09.2020	Negative
C29063	JATIN PATEL KX-2076	44	M	14.09.2020	Negative
C29062	RAMVEDH YADAV KX-2074	60	M	14.09.2020	Negative
C29061	CHOTELAL RAM KX-2048	32	M	14.09.2020	Negative
C29060	GOPAL PANDHARI KX-2044	47	M	14.09.2020	Negative
C29059	SURAJ AINVASI KX-2052	22	M	14.09.2020	Negative
C29058	KULDEEP SONKAR KX-2046	20	M	14.09.2020	Negative
C29057	YOGESH PANCHAL KX-2049	47	M	14.09.2020	Negative
C29056	RAKESH BABULAL PANCHAL KX-2047	42	M	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29055	SANDIP RAM KX-2050	28	M	14.09.2020	Negative
C29054	BALIRAM MAGAR KX-2053	55	M	14.09.2020	Negative
C29053	SUJIT KHARVAR KX-2051	32	M	14.09.2020	Negative
C29052	RAJU TIVARI KX-2055	30	M	14.09.2020	Negative
C29051	DATTARAM GUHEKAR KX-2056	59	M	14.09.2020	Negative
C29050	KUSHAL KUMAR KX-2054	30	M	14.09.2020	Negative
C29049	BHAVIN PANCHAL KX-2062	22	M	14.09.2020	Negative
C29048	TANK TAMTA KX-2067	35	M	14.09.2020	Negative
C29047	SATYARAM TIWARI KX-2059	45	M	14.09.2020	Negative
C29046	SATISH SHENDGE KX-2061	42	M	14.09.2020	Negative
C28995	RAVIRAJ AMIN KK - 1575	37	M	14.09.2020	Negative
C28994	ROHIT SAROJ KK - 1580	20	M	14.09.2020	Negative
C28993	SURESH PAWAR KK - 1574	31	M	14.09.2020	Negative
C28992	DILIP MALI KK - 154	23	M	14.09.2020	Negative
C28991	MUKESH JAIN KK - 1577	35	M	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28990	RAKESH YADAV KK - 1579	28	M	14.09.2020	Negative
C28989	ABHISHEKH VISHWAKARMA KK - 1581	18	M	14.09.2020	Negative
C28988	RAHUL SOYAVAN KK - 1576	21	M	14.09.2020	Negative
C28987	MATHEW JEKAB KK - 1578	52	M	14.09.2020	Negative
C28986	RAM AVTAR YADAV KK - 1582	18	M	14.09.2020	Negative
C28985	ANUJA TAMBE KK - 1573	21	F	14.09.2020	Negative
C28984	YATIN SHAHA KK - 1559	41	M	14.09.2020	Negative
C28983	ECKAPPAN YADAV KK - 1565	23	M	14.09.2020	Negative
C28982	SHANKAR LAL PALRECHA KK - 1568	71	M	14.09.2020	Negative
C28981	MANOJ YADAV KK - 1561	26	M	14.09.2020	Negative
C28980	VIVEK DUBEY KK - 1560	27	M	14.09.2020	Negative
C28979	BABULAL GIRI KK - 1569	36	M	14.09.2020	Negative
C28978	SANDEEP AYARE KK - 1570	40	M	14.09.2020	Negative
C28977	RAJU TEWAR KK - 1564	36	M	14.09.2020	Negative
C28976	SUJATA KILJE KK - 1566	33	F	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)




NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28975	ASHOK PALRECHA KK - 1567	41	M	14.09.2020	Negative
C28974	RAJNISH MAKHEJA KK - 1562	42	M	14.09.2020	Negative
C28973	KUNAL MAKHEJA KK - 1563	38	M	14.09.2020	Negative
C28972	SUSHANT NIKAM KK - 1558	30	M	14.09.2020	Negative
C28971	HARSHAL GAWADE KK - 1551	26	F	14.09.2020	Negative
C29045	DINESH KUMAR KX-2060	22	M	14.09.2020	Negative
C29044	GAUTAM KUMAR KX-2058	25	M	14.09.2020	Negative
C29043	DAULAT ANSARI KX-2063	32	M	14.09.2020	Negative
C29042	AAVNIS SINGH KX-2064	25	M	14.09.2020	Negative
C29041	NAGRAJU LOCHALI KX-2045	38	M	14.09.2020	Negative
C29040	HANUMANT RANBA HAKE KX-2043	34	M	14.09.2020	Negative
C29039	IBRAHIM SHAIKH KX-2057	29	M	14.09.2020	Negative
C29038	BHARAT PANCHAL KX-2065	52	M	14.09.2020	Negative
C29037	SAYALI SURSE KX-3483	21	F	14.09.2020	Negative
C29036	MANSI PAWAR KX-3493	17	F	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29030	VIDISHA CHIMONKAR K-3522	27	F	14.09.2020	Negative
C29029	PRAMOD DALVI K-3497	35	M	14.09.2020	Negative
C29028	PRASHANT SALUNKHE K-3525	40	M	14.09.2020	Negative
C29027	SULABHA PAWAR K-3494	40	F	14.09.2020	Negative
C29026	JYOTI BAVASKAR K-3498	48	F	14.09.2020	Negative
C29025	DATTARAM GODAVALE K-3492	55	M	14.09.2020	Negative
C29024	SHIROMAN BHARATI K-3488	30	M	14.09.2020	Negative
C29023	KSHITIJA PATHARE K-3484	32	F	14.09.2020	Negative
C29022	PALLAVI GAUTAM K-3487	55	F	14.09.2020	Negative
C29021	DINKAR GUNJAR K-3482	55	M	14.09.2020	Negative
C29005	ANIL RASAL KK-1594	50	M	14.09.2020	Negative
C29004	NAYAN MEHATA KK-1588	20	M	14.09.2020	Negative
C29003	RAJESH PATEL KK-1591	42	M	14.09.2020	Negative
C29002	LAV DUBEY KK-1585	20	M	14.09.2020	Negative
C29001	VIJAY SINGH KK-1589	47	M	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29233	HEMRAJ BHARATI K-3672	48	M	14.09.2020	Negative
C29232	SACHIN BAIKAR K-3685	30	M	14.09.2020	Negative
C29231	SNEHA NIVDUNGA K-3678	26	F	14.09.2020	Negative
C29225	SARLA JAGTAP K-3662	46	F	14.09.2020	Negative
C29224	KALPIT TOTADE K-3660	30	M	14.09.2020	Negative
C29223	DHANANJAY SINGH K-3670	40	M	14.09.2020	Negative
C29222	SANKET DAVARE K-3673	19	M	14.09.2020	Negative
C29221	SAYALI KARANJKAR K-3686	26	F	14.09.2020	Negative
C29220	RITA SINGH K-3669	39	F	14.09.2020	Negative
C29219	UMESH AMARE K-3689	18	M	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)