



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	08/07/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	09/07/2020 17:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13817	REKHA PRADIP PAWAR 7755	39	F	09.07.2020	Negative
C13818	VAISHALI PRADIP SONAWANE 11427	26	F	09.07.2020	Negative
C13819	AKSHATA AJIT MHATRE 11444	30	F	09.07.2020	Negative
C13820	AJIT SANTOSH MHATRE 11446	35	M	09.07.2020	Negative
C13821	VAISHALI KUMAR MHATRE 11445	34	F	09.07.2020	Negative
C13822	SANGEETA KUMAR ATPADKAR 11462	25	F	09.07.2020	Negative
C13823	RAHUL ARJUN NIKUMBH 11432	34	M	09.07.2020	Inconclusive (Repeat Fresh Sample)
C13824	KAVITA ANIL SUTAR 11412	30	F	09.07.2020	Negative
C13825	SANTOSH DEEPAK SASKAR 11457	34	M	09.07.2020	Negative
C13826	SONALI MANISH MANDALIK 37580	46	F	09.07.2020	Inconclusive (Repeat Fresh Sample)
C13827	SUCHITA SHIRISH BHANDARI 808	48	F	09.07.2020	Negative
C13828	BHARAT NANA KHARAT 11343	21	M	09.07.2020	<b>Positive</b>
C13829	CHAITANYA SURENDRA KAMBLE 10100	13	M	09.07.2020	Negative
C13830	POONAMDEVI KANHAIYA RAM 10517	30	M	09.07.2020	Negative
C13831	NISHA VINAYAK DEVGIRIKAR 11467	56	F	09.07.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

*Shalmali*

Verified by  
**Dr. Shalmali Dharma Ph. D**

*Dr. Milind Ubale*

Checked and Approved by  
**Dr. Milind Ubale M.D. (Microbiology)**



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	08/07/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	09/07/2020 17:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13832	UDAY SAMPAT YADAV 11468	35	M	09.07.2020	Negative
C13833	PRAMOD SADASHIV SHIRUD 11473	42	M	09.07.2020	Negative
C13834	AJIT ATMARAM KUDTARKAR 11451	48	M	09.07.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)