



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 19:57 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30721	NANDALAL GUPTA K - 4225	35	M	18.09.2020	Negative
C30720	PRIYANKA YADAV K - 4194	25	F	18.09.2020	Negative
C30719	NANDA KOLI K - 4231	34	F	18.09.2020	Negative
C30718	NIKHIL RATHOD K - 4168	32	M	18.09.2020	Negative
C30717	MEGHA BIDOYE K - 4213	38	F	18.09.2020	Negative
C30716	HARIOM RAI K - 4171	19	M	18.09.2020	Negative
C30715	VANITA SAKPAL K - 4219	35	M	18.09.2020	Negative
C30714	ARCHANA MANJREKAR K - 30714	34	F	18.09.2020	Negative
C30732	SHRAVAN GUPTA K-4184	35	M	18.09.2020	Negative
C30731	VIDYADEVI RAJPUT K-4226	42	F	18.09.2020	Negative
C30730	JYOTSNA BHOIR K-4178	43	F	18.09.2020	Negative
C30729	RIMJIM GUPTA K-4177	27	M	18.09.2020	Negative
C30728	PRADHAN KULKARNI K-4098	52	M	18.09.2020	Negative
C30727	SUYESHA MANJREKAR K-3735	16	F	18.09.2020	Negative
C30726	MUKESH IGHE K-4201	41	M	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 19:57 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30725	RAGHUNATH MANJREKAR K-3733	73	M	18.09.2020	Negative
C30724	LALIT MANJREKAR K-3726	42	M	18.09.2020	Negative
C30723	AJAY KAWALE K-4218	26	M	18.09.2020	Negative
C30722	ROHAN SURVE K-4220	32	M	18.09.2020	Negative
C30713	SWAPNALI KUMBHAR K-4183	27	F	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)