



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	03/06/2020 14:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6297	SHILPA N. DUMBRE	44	F	03.06.2020	Negative
C6298	SAMRUDDHI N. DUMBRE	20	F	03.06.2020	Positive
C6299	AARUSH N. DUMBRE	07	M	03.06.2020	Negative
C6300	VIMAL PUNDE	75	M	03.06.2020	Positive
C6301	DR. AVINASH PATIL	42	M	03.06.2020	Negative
C6302	ARUNA MAHAMUNKAR	50	F	03.06.2020	Negative
C6303	KETAKI GOSAVI	26	F	03.06.2020	Negative
C6304	PRAMILA PAWARA	27	F	03.06.2020	Negative
C6305	MADAN PAWAR	55	F	03.06.2020	Negative
C6306	SAMPADA HEMOTE	28	F	03.06.2020	Negative
C6307	LATA MISAL	47	F	03.06.2020	Negative
C6308	DEEPAI SAWANT	56	F	03.06.2020	Negative
C6309	NISHA BASAR	36	F	03.06.2020	Negative
C6310	YOGITA PALAVI	52	F	03.06.2020	Negative
C6311	JAIMALA BHOSLE	36	F	03.06.2020	Positive
C6312	DEEPAK SANKE	42	M	03.06.2020	Negative
C6313	UDAY KADAM	57	M	03.06.2020	Negative
C6315	MANISH SINGH	37	M	03.06.2020	Negative
C6316	GEETA BENBANSI	40	F	03.06.2020	Negative
C6317	KISHORE WAGHELA	42	M	03.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	03/06/2020 14:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6318	RUPALI MALKAR	32	F	03.06.2020	Negative
C6319	POOJA KARLE	32	F	03.06.2020	Negative
C6321	PRATIBHA SONAWANE	28	F	03.06.2020	Negative
C6322	JAYANT DHARADE	36	M	03.06.2020	Negative
C6323	VIKAS RANJIT RATHOD	39	M	03.06.2020	Negative
C6324	RAJU JAMBULKAR	43	M	03.06.2020	Negative
C6325	VAISHALI GANGURDE	32	F	03.06.2020	Negative
C6326	SURESH BHATT	47	M	03.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)