



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/07/2020 14:45 pm
Date and time of reporting (dd/mm/yyyy)	27/07/2020 19:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18118	MOHAMMAD HANIF SHAIKH	59	M	27.07.2020	Positive
C18119	MUSHRAF SHAIKH	33	M	27.07.2020	Negative
C18120	SOHEL SHAIKH	25	M	27.07.2020	Negative
C18121	SHAIKH IMRAN JAMALUDDIN	27	M	27.07.2020	Negative
C18122	MEHBOOB ABDUL ALI ALJI	48	M	27.07.2020	Negative
C18123	KHURSHID BALBALE	38	M	27.07.2020	Negative
C18124	VIMAL CHAUHAN	33	M	27.07.2020	Negative
C18125	DHYNICHANDRA KISHORE	55	M	27.07.2020	Negative
C18126	RAMDIN GUPTA	33	M	27.07.2020	Negative
C18127	IMRAN RAMZAN HUSSAIN	42	M	27.07.2020	Negative
C18128	MOHAMMAD BILAL MOHD KHALID	38	M	27.07.2020	Negative
C18129	IMRAN KHAN	34	M	27.07.2020	Negative
C18130	HAMIR MOHD ALI KHAN	27	M	27.07.2020	Negative
C18131	MOHD RAFIQ RASIM MOMIN	29	M	27.07.2020	Negative
C18132	MANOJ SHARMA	36	M	27.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/07/2020 14:45 pm
Date and time of reporting (dd/mm/yyyy)	27/07/2020 19:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18133	SHAIKH ABDULLAH FIROZ	31	M	27.07.2020	Negative
C18134	RAHUL PATIL	31	M	27.07.2020	Negative
C18135	SHABINA KHATOON ANSARI	45	F	27.07.2020	Negative
C18136	SHAIKH MEHMOOD AZIZ	50	F	27.07.2020	Negative
C18137	SHAKEEL AHMED PEER MOHAMMAD	57	M	27.07.2020	Negative
C18138	ABDUL KAISH	40	M	27.07.2020	Negative
C18139	RAMESH RATHOD	38	M	27.07.2020	Negative
C18140	SURESH HADGIL	50	M	27.07.2020	Negative
C18141	SAI VAMSHI	23	M	27.07.2020	Negative
C18142	SANTOSH KUMAR MAVADI	32	M	27.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)