



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/09/2020 11:40 am
Date and time of reporting (dd/mm/yyyy)	21/09/2020 12:30 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31296	KUNAL EKNATH GODADE	32	M	21.09.2020	Positive
C31297	MOHINI KUNAL GODADE	24	F	21.09.2020	Positive
C31298	RAVINDRA BALKRUSHNA GHODWINDE	50	M	21.09.2020	Negative
C31299	SAMIR ANANT SHIRKE	40	M	21.09.2020	Negative
C31300	ARVIND PANDURANG BANGAL	55	M	21.09.2020	Negative
C31301	RAMESH LAHU SHELAR	52	M	21.09.2020	Negative
C31302	PUSHPA BHIMRAO PATIL	54	F	21.09.2020	Negative
C31303	HARSHAD BHIMRAO PATIL	30	M	21.09.2020	Negative
C31304	NINAD MAHESH PATIL	1	M	21.09.2020	Positive
C31305	YAMUNA PANDURANG BHOIR	70	F	21.09.2020	Negative
C31306	HEMANT BALU SAPALE	34	M	21.09.2020	Negative
C31307	MALHARI PANDURANG CHANDE	40	M	21.09.2020	Negative
C31308	SAKSHI SANDIP PARDHI	37	F	21.09.2020	Inconclusive (Repeat Fresh Sample)
C31309	PRANJAL SANDIP PARDHI	12	F	21.09.2020	Positive
C31310	ATHARV SANDIP PARDHI	9	M	21.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/09/2020 11:40 am
Date and time of reporting (dd/mm/yyyy)	21/09/2020 12:30 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31311	SANDIP PANDURANG PARDHI	40	M	21.09.2020	Negative
C31312	RAKESH KONDURAM THAKARE	38	M	21.09.2020	Negative
C31313	AADITI VIVEK KABADI	38	F	21.09.2020	Negative
C31314	AYUSH VIVEK KABADI	16	M	21.09.2020	Negative
C31315	CHANDRAKANT KALURAM DINGORE	55	M	21.09.2020	Negative
C31316	SHRIKANT KARNIK JADHAV	36	M	21.09.2020	Negative
C31317	VIJAYKUMAR KEDARNATH GAUTAM	25	M	21.09.2020	Negative
C31318	MAHENDRA KISAN JADHAV	52	M	21.09.2020	Negative
C31319	SUPRIYA MAHENDRA JADHAV	27	F	21.09.2020	Negative
C31320	NASIM SALIM SHAIKH	50	F	21.09.2020	Negative
C31321	JIVAN PALO LAKADE	42	M	21.09.2020	Negative
C31322	BABYBAI EKNATH VISHE	45	F	21.09.2020	Negative
C31323	LALTIDEVI PHULCHAND GUPTA	65	F	21.09.2020	Negative
C31324	DILIP BHAI GHANGHAN	52	M	21.09.2020	Negative
C31325	RAMESH DAGADU KHADE	57	M	21.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)