

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/08/2020 12:25 pm
Date and time of reporting (dd/mm/yyyy)	22/08/2020 17:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23000	DATTA SAMANT 418	40	М	22.08.2020	Inconclusive (Repeat Fresh Sample)
C23001	ANIL ROJA 413	34	М	22.08.2020	Negative
C23002	JAYVANT UBARKAR 402	29	М	22.08.2020	Negative
C23003	SANTOSH DHANAVDE 408	42	М	22.08.2020	Negative
C23004	JOGINDAR YADAV 418	46	М	22.08.2020	Negative
C23005	INDRAJEET CHAUHAN 413	34	М	22.08.2020	Negative
C23006	VIMAL SAMANT 309	62	F	22.08.2020	Positive
C23007	RAM SAMANT 418	33	M	22.08.2020	Positive
C23008	PRADIP RAI 413	36`	M	22.08.2020	Negative
C23009	PARIDHI AGRAWAL	22	F	22.08.2020	Negative
C23010	UPDESH PAVLE 402	40	М	22.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)