



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/06/2020 18:50 pm
Date and time of reporting (dd/mm/yyyy)	11/06/2020 13:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	DOSTI SHILL QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7799	VIJAY SONAVALA	30	M	11.06.2020	Positive
C7800	SANJAY RAJARAM SONAWANE	51	M	11.06.2020	Negative
C7801	TUHIN GANGOLI	30	M	11.06.2020	Negative
C7802	PRADEEP MADHAV BHOI	28	M	11.06.2020	Negative
C7803	VISHAL HANUMANT SHAILAR	26	M	11.06.2020	Negative
C7804	SHRIKRISHANA APPA YEWALE	24	M	11.06.2020	Negative
C7805	ARVIND RAJARAM DHAWLE	24	M	11.06.2020	Negative
C7806	GANESH K. PATIL	25	M	11.06.2020	Negative
C7807	SANJAY NATHA RATHORE	31	M	11.06.2020	Negative
C7808	VARUN VILAS DESHMUKH	30	M	11.06.2020	Negative
C7809	NILESH BHALCHANDRA PATIL	33	M	11.06.2020	Negative
C7810	GANESH RAMESH AHIRE	34	M	11.06.2020	Negative
C7811	SATISH MARATHE	35	M	11.06.2020	Negative
C7812	PANDURANG SHELVE	32	M	11.06.2020	Negative
C7813	AMUL SHENDAGE	35	M	11.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/06/2020 18:50 pm
Date and time of reporting (dd/mm/yyyy)	11/06/2020 13:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	DOSTI SHILL QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7814	SUPRIYA S. GUPTA	24	F	11.06.2020	Negative
C7815	MAHESH GUPTA	21	M	11.06.2020	Positive
C7816	SUMAN S. GUPTA	26	F	11.06.2020	Negative
C7817	MEENA S. GUPTA	58	F	11.06.2020	Positive
C7818	ADITYA CHANDRAKANT	15	M	11.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)