



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	29/06/2020 15:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11177	VANDANA VISHNU SATPUTE	50	F	29.06.2020	Negative
C11178	SHOBHA RAMESH CHANDRAMORE	48	F	29.06.2020	Negative
C11179	VISHNU PANDURANG SATPUTE	55	M	29.06.2020	Negative
C11180	VIDYA DNYANESHWAR DINGORE	40	F	29.06.2020	Negative
C11181	OMKAR PRAMOD MAHAJAN	30	M	29.06.2020	Positive
C11182	SANDIP SUKRYA JADHAV	47	M	29.06.2020	Positive
C11183	SEVAK KESHA SINGH	48	M	29.06.2020	Negative
C11184	LALITA SUNIL JADHAV	30	F	29.06.2020	Positive
C11185	PANDURANG KISAN CHAVAN	45	M	29.06.2020	Positive
C11186	PRAKASH DNYANESHWAR DINGORE	22	M	29.06.2020	Negative
C11187	VAIDEHI VISHNU SATPUTE	22	F	29.06.2020	Negative
C11188	KIRAN SURESH BAGUL	43	M	29.06.2020	Negative
C11189	PRAMILA MANGESH CHANDRAMORE	28	F	29.06.2020	Positive
C11190	VINOD VISHNU SATPUTE	28	M	29.06.2020	Negative
C11191	DINESH DNYANESHWAR DINGORE	21	M	29.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	29/06/2020 15:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11192	KIRAN MARUTI CHAUDHARI 777	20	M	29.06.2020	Negative
C11193	YASH GANESH DINGORE 758	12	M	29.06.2020	Negative
C11194	PRABHAKAR BHIMRAO RANE 778	59	M	29.06.2020	Negative
C11195	ASHOK SAKHARAM SUTAR 766	41	M	29.06.2020	Negative
C11196	SAMIR PRAMOD MAHAJAN	28	M	29.06.2020	Positive
C11197	TRISHA VINOD SATPUTE	5M	F	29.06.2020	Negative
C11198	RAGINI MANGESH CHANDRAMORE	10	F	29.06.2020	Negative
C11199	AAROSHI MANGESH CHANDRAMORE	6	F	29.06.2020	Negative
C11200	VANITA VINOD GANGURDE	42	F	29.06.2020	Positive
C11201	RAVINDRA SITARAM OKHORE	26	M	29.06.2020	Negative
C11202	SHARDA PRABHAKAR GAIKWAD	35	F	29.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)