



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/08/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	17/08/2020 17:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22111	SANJAY GAJANAN LIYE	51	M	17.08.2020	Negative
C22112	KIRAN RAMESH GHUGE	26	M	17.08.2020	Negative
C22113	RAGHUNATH HARIBHAU TARMAL	53	M	17.08.2020	Positive
C22108	HARSHAL VIJAY SONAVNE	14	M	17.08.2020	Positive
C22110	INDUBAI SAJAN SONAVNE	65	F	17.08.2020	Negative
C22114	SAJAN PUNDLIK SONAVNE	69	M	17.08.2020	Negative
C22109	HALIMA HAMID SHAIKH	51	F	17.08.2020	Positive
C22115	RAVINDRA PANDURANG PADWAL	50	M	17.08.2020	Positive
C22116	GANESH MARUTI HARANE	32	M	17.08.2020	Negative
C22117	PRADIP RAGHUNATH PITALE	60	M	17.08.2020	Positive
C22118	VISHWANATH BHASKAR KAMBLE	34	M	17.08.2020	Negative
C22119	RAMCHNDRA JIVA VISHE	63	M	17.08.2020	Positive
C22120	DILIP VAMAN CHAUDHARY	39	M	17.08.2020	Negative
C22121	AMOL GAJANAN CHAUDHARY	23	M	17.08.2020	Negative
C22122	YOGESH MANGAL HUMANE	19	M	17.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/08/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	17/08/2020 17:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22123	JANARDAN MANGAL HUMANE	18	M	17.08.2020	Negative
C22124	VISHWAS DONDU JOSHI	42	M	17.08.2020	Negative
C22125	PRAVIN VISHWAS JOSHI	19	M	17.08.2020	Negative
C22126	VISHNU GANPAT CHAUDHARY	29	M	17.08.2020	Negative
C22127	VIJAY GANPAT CHAUDHARY	23	M	17.08.2020	Negative
C22128	GAJANAN PANJABRAO KALE	43	M	17.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)