



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	24/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	25/07/2020 17:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ACNE OZONE QUARANTINE MANPADA CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17708	AARNAV DESAI	7	M	25.07.2020	Negative
C17707	MAYAVATI DESAI	60	F	25.07.2020	Negative
C17706	SMITA DESAI	36	F	25.07.2020	Negative
C17705	BINDAVATI JAISWAL	60	F	25.07.2020	Negative
C17704	CHAITANYA SONAWANE	3	M	25.07.2020	Negative
C17703	HIRABAI SONAWANE	62	F	25.07.2020	Negative
C17702	MONIKA SONAWANE	24	F	25.07.2020	Negative
C17701	KABIR SONAWANE	4	M	25.07.2020	Positive
C17700	SANTOSH SONAWANE	32	M	25.07.2020	Negative
C17699	SACHIN KAMBLE	41	M	25.07.2020	Negative
C17698	ANIL YASANE	35	M	25.07.2020	Negative
C17697	JAYESH DALVI	27	M	25.07.2020	Negative
C17695	KIRAN GUPTA	38	M	25.07.2020	Negative
C17694	ABHIJIT SHAH	20	M	25.07.2020	Inconclusive (Repeat Fresh Sample)
C17693	ABHISHEK KAMBLE	12	M	25.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	24/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	25/07/2020 17:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ACNE OZONE QUARANTINE MANPADA CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17692	SAMARTH KAMBLE	6	M	25.07.2020	Negative
C17691	SAYLI DALVI	22	F	25.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)