

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 11:30 am	
Date and time of reporting (dd/mm/yyyy)	19/06/2020 19:49 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9466	RAMCHANDRA KAMTHEKAR 126	70	М	19.06.2020	Positive
C9467	MUKESH KUMAR VERMA 213	41	М	19.06.2020	Positive
C9468	JYOTI PATFADE 207	40	F	19.06.2020	Positive
C9469	SADANAND MAHADIK 205	65	М	19.06.2020	Positive
C9470	SAVITA BAGDI 7874	34	F	19.06.2020	Negative
C9471	RAJESH MANE 208	44	M	19.06.2020	Negative
C9472	NASRIN KHAN 210	53	F	19.06.2020	Positive
C9473	ZOBIYA N. SHAIKH 15772	6	F	19.06.2020	Negative
C9474	DADARAO KAMBLE 213	62	M	19.06.2020	Negative
C9475	GUDDU R. JAISWAR 211	44	M	19.06.2020	Positive
C9476	MALASHADEVI YADAV 204	60	F	19.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)