



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	26/07/2020 17:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17883	JATIN PADMAKAR PARDE W - 514	30	M	26.07.2020	Negative
C17884	MORESHWAR BHASKAR AAPTE W - 527	63	M	26.07.2020	Negative
C17885	MANJU RAGHUNATH KORI W - 532	26	F	26.07.2020	Negative
C17886	ANIL SAMBHAJI NATE W - 275	49	M	26.07.2020	Positive
C17887	SONALI GANESH PAYER W - 548	32	F	26.07.2020	Negative
C17888	DEVDAAS NATHA NIKALJE W - 551	58	M	26.07.2020	Negative
C17889	SANYOGITA SAWANT W - 562	31	F	26.07.2020	Negative
C17890	MADHAVI PRADEEP TAWDE W - 547	54	F	26.07.2020	Negative
C17891	ANKITA AMOL GAIKWAD W - 577	20	F	26.07.2020	Positive
C17892	SMITA SAYAJI MAHADIK W - 567	55	F	26.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)