



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 17:10 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 16:48 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14549	DR. SAURABH BACHATE	25	M	12.07.2020	<b>Positive</b>
C14550	AAYUSH NATH	6	M	12.07.2020	Negative
C14551	SUSHILA SINGH	27	F	12.07.2020	Negative
C14552	BHAVANA SINGH	4	F	12.07.2020	Negative
C14553	KUSMA BHUL	50	F	12.07.2020	Negative
C14554	SNEHLATA UNNI NAIR	39	F	12.07.2020	Negative
C14555	VISHWAMANGAL P. NAIR	40	F	12.07.2020	Negative
C14556	RAJKUMARI GUPTA	66	F	12.07.2020	Negative
C14557	GULABCHAND GUPTA	44	M	12.07.2020	<b>Positive</b>
C14558	MEHEK GULABCHAND GUPTA	14	F	12.07.2020	Negative
C14559	MAHESH G. GUPTA	11	M	12.07.2020	Negative
C14560	ANUSHKA SURENDRA GUPTA	8	F	12.07.2020	Negative
C14561	AYUSH SURENDRA GUPTA	13	M	12.07.2020	Negative
C14562	ADITYA SURENDRA GUPTA	12	M	12.07.2020	Negative
C14563	SUNITA G. GUPTA	42	F	12.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 17:10 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 16:48 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14564	SIMRAN G. GUPTA	17	F	12.07.2020	Negative
C14565	SHRADDHA G. GUPTA	20	F	12.07.2020	Negative
C14566	SURENDRA S. GUPTA	38	M	12.07.2020	Negative
C14567	SHUBHAM S. KORGAONKAR	25	M	12.07.2020	Negative
C14568	SURYAKANT M. KORGAONKAR	60	M	12.07.2020	Negative
C14569	SOHAM S. KORGAONKAR	24	M	12.07.2020	Negative
C14570	SAKHARAM D. MAGAR	60	M	12.07.2020	Negative
C14571	VANDANA S. MAGAR	55	F	12.07.2020	Negative
C14572	PUSHPALATA NATN	34	F	12.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)